

# Category/LAN Cables Line Card (USA Warehouses)



Structured Cable Products ("SCP") is a leading manufacturer and global supplier of low voltage cables and connectivity accessories. SCP Category/LAN cables provide the highest quality, performance and value on the market today. SCP offers a wide variety of Category/LAN solutions to accommodate almost any installation need. SCP also features our HDBaseT Enhanced Category/LAN cables. SCP was the first cable manufacturer to have their cables HDBaseT Recommended. Our Category/LAN cables come in a variety of constructions, CPR ratings, jacket colors, and packaging options. Most of our Category/LAN cables come in our installer friendly SCP "tangle free" Reel II boxes. All of our Category/LAN cables come with our Limited Lifetime Warranty.

## SCP Structured Cable Products®

Quality Installations Deserve Quality Products

Manufacturer and Global Supplier



### CAT7A

Features		Compliance			Applications		
1200MHz tested 10GBaseT; Descending FT and Zone/Outlet Jkt Markings; Easy Strip Jacket. Limited Lifetime Warranty		ANSI/TIA 568.2-D; ISO/IEC 11801 Class Fa; PoE: IEEE 802.3bt; UL CMR c(UL) FT4; UL 444, UL 1666; RoHS			High performance IT, LAN & Ethernet installations. Suitable for use in all Class Fa structured wiring systems. PoE/PoH Compliant		
SCP Part Number	Construction	Conductors/Insulation	Nom. OD	Jacket / Color	Installation Rating	Packaged Length	Weight
CAT7A-BL	4pr S/FTP	23AWG SOL BC / SFPE	7.5mm/0.295"	PVC - Blue	UL CMR/FT4	305m/1000ft Spool	20.8kgs/46lbs
CAT7A-WT	4pr S/FTP	23AWG SOL BC / SFPE	7.5mm/0.295"	PVC - White	UL CMR/FT4	305m/1000ft Spool	20.8kgs/46lbs
CAT7A-LSZH-BL	4pr S/FTP	23AWG SOL BC / SFPE	7.5mm/0.295"	LSZH - Blue	IEC 60332-1-2	305m/1000ft Spool	20.8kgs/46lbs
HNCPROPLUS-7A-LSZH	4pr S/FTP	23AWG SOL BC / SFPE	7.5mm/0.295"	PVC - White	IEC 60332-1-2	305m/1000ft Spool	20.8kgs/46lbs

### CAT6A

Features		Compliance			Applications		
600MHz tested 10GBaseT; UL Listed; HDBaseT Enhanced; Descending FT and Zone/Outlet Jkt Markings; Limited Lifetime Warranty		ANSI/TIA 568.2-D; ISO/IEC 11801 Class Ea; IEC 60332-1-2; PoE, PoH: IEEE 802.3bt; HDBaseT Recommended; UL CMR c(UL) FT4; ETL CMP FT6, CMR FT4; UL 444, UL 1666; RoHS			High performance IT, LAN & Ethernet installations. Suitable for use in all Class Ea structured wiring systems. HDBaseT Recommended; PoE/PoH Compliant		
Cat6a Shielded							
SCP Part Number	Construction	Conductors/Insulation	Nom. OD	Jacket / Color	Installation Rating	Packaged Length	Weight
CAT6A-SHP-BL	4pr U/FTP	23AWG SOL BC / F-FEP	7.3mm/0.287"	LS-PVC - Blue	ETL CMP/CL3P	305m/1000ft Spool	18.6kgs/41lbs
CAT6A-U/FTP-BL	4pr U/FTP	23AWG SOL BC / SFPE	7.3mm/0.287"	PVC - Blue	UL CMR/FT4	305m/1000ft Spool	18.6kgs/41lbs
CAT6A-U/FTP-BL-ETL	4pr U/FTP	23AWG SOL BC / SFPE	7.3mm/0.287"	PVC - Blue	ETL CMR/FT4	305m/1000ft Spool	18.6kgs/41lbs
CAT6A-U/FTP-WT-ETL	4pr U/FTP	23AWG SOL BC / SFPE	7.3mm/0.287"	PVC - White	ETL CMR/FT4	305m/1000ft Spool	18.6kgs/41lbs
CAT6A-F/FTP-BL	4pr F/FTP	23AWG SOL BC / SFPE	7.2mm/0.283"	PVC - Blue	UL CMR/FT4	305m/1000ft Spool	17.6kgs/39lbs
CAT6A-F/FTP-BL-ETL	4pr F/FTP	23AWG SOL BC / SFPE	7.2mm/0.283"	PVC - Blue	ETL CMR/FT4	305m/1000ft Spool	17.6kgs/39lbs
CAT6A-F/FTP-WT	4pr F/FTP	23AWG SOL BC / SFPE	7.2mm/0.283"	PVC - White	UL CMR/FT4	305m/1000ft Spool	17.6kgs/39lbs
CAT6A-F/FTP-WT-ETL	4pr F/FTP	23AWG SOL BC / SFPE	7.2mm/0.283"	PVC - White	ETL CMR/FT4	305m/1000ft Spool	17.6kgs/39lbs
Cat6a Shielded HDBaseT Enhanced:							
HNCPROPLUS-6A-LSZH	4pr U/FTP	23AWG SOL BC / SFPE	7.4mm/0.291"	LSZH - Blue	IEC 60332-1-2	305m/1000ft Spool	18.6kgs/41lbs
Cat6a Shielded Direct Burial:							
CAT6A-U/FTP-DB	4pr U/FTP	23AWG SOL BC / SFPE	7.4mm/0.291"	LLDPE - Black	Direct Burial/Outdoor	305m/1000ft Spool	17kgs/38lbs
Cat6a Unshielded							
SCP Part Number	Construction	Conductors/Insulation	Nom. OD	Jacket / Color	Installation Rating	Packaged Length	Weight
CAT6A-P-BK	4pr U/UTP	23AWG SOL BC / FEP	6.1mm/0.24"	LS-PVC - Black	UL CMP/CL3P	305m/1000ft Spool	18kgs/40lbs
CAT6A-P-BL	4pr U/UTP	23AWG SOL BC / FEP	6.1mm/0.24"	LS-PVC - Blue	UL CMP/CL3P	305m/1000ft Spool	18kgs/40lbs
CAT6A-P-WT	4pr U/UTP	23AWG SOL BC / FEP	6.1mm/0.24"	LS-PVC - White	UL CMP/CL3P	305m/1000ft Spool	18kgs/40lbs
CAT6A	4pr U/UTP	23AWG SOL BC / HDPE	6.8mm/0.267"	PVC - Blue	UL CMR/FT4	305m/1000ft Spool	17kgs/38lbs
CAT6A-BK	4pr U/UTP	23AWG SOL BC / HDPE	6.8mm/0.267"	PVC - Black	UL CMR/FT4	305m/1000ft Spool	17kgs/38lbs
CAT6A-GN	4pr U/UTP	23AWG SOL BC / HDPE	6.8mm/0.267"	PVC - Green	UL CMR/FT4	305m/1000ft Spool	17kgs/38lbs
CAT6A-OR	4pr U/UTP	23AWG SOL BC / HDPE	6.8mm/0.267"	PVC - Orange	UL CMR/FT4	305m/1000ft Spool	17kgs/38lbs
CAT6A-WT	4pr U/UTP	23AWG SOL BC / HDPE	6.8mm/0.267"	PVC - White	UL CMR/FT4	305m/1000ft Spool	17kgs/38lbs
CAT6A-YL	4pr U/UTP	23AWG SOL BC / HDPE	6.8mm/0.267"	PVC - Yellow	UL CMR/FT4	305m/1000ft Spool	17kgs/38lbs

### CAT6

Features		Compliance			Applications		
550MHz tested 1000BaseT Gigabit; HDBaseT Enhanced; UL Plenum/Riser; UV Sun Resistant; Descending FT and Zone/Outlet Jkt Markings; Packaging: Spool, Reel-in-Box, SCP Tangle-Free Reel II Boxes; Limited Lifetime Warranty		ANSI/TIA 568.2-D; ISO/IEC 11801 Class E; IEC 60332-1-2; PoE, PoH: IEEE 802.3bt; HDBaseT Recommended; UL CMR c(UL) FT6; UL CMR c(UL) FT4; ETL CMP FT6, CMR FT4; UL 444, UL 1666; RoHS			High performance IT, LAN & Ethernet installations. Suitable for use in all Class E structured wiring systems. PoE/PoH Compliant		
Cat6 Shielded							
SCP Part Number	Construction	Conductors/Insulation	Nom. OD	Jacket / Color	Installation Rating	Packaged Length	Weight
Cat6 Shielded HDBaseT Enhanced Dca Rated:							
CAT6SHP-BL	4pr F/UTP	23AWG SOL BC / FEP	7.5mm/0.295"	LS-PVC - Blue	ETL CMP/FT6	305m/1000ft Spool	21kgs/46lbs
CAT6SHP-GY	4pr F/UTP	23AWG SOL BC / FEP	7.5mm/0.295"	LS-PVC - Gray	ETL CMP/FT6	305m/1000ft Spool	21kgs/46lbs
CAT6SHP-WT	4pr F/UTP	23AWG SOL BC / FEP	7.5mm/0.295"	LS-PVC - White	ETL CMP/FT6	305m/1000ft Spool	21kgs/46lbs
CAT6SH-BK	4pr F/UTP	23AWG SOL BC / HDPE	7.5mm/0.295"	PVC - Black	UL CMR/FT4	305m/1000ft Spool	21kgs/46lbs
CAT6SH-BL	4pr F/UTP	23AWG SOL BC / HDPE	7.5mm/0.295"	PVC - Blue	UL CMR/FT4	305m/1000ft Spool	21kgs/46lbs
CAT6SH-GY	4pr F/UTP	23AWG SOL BC / HDPE	7.5mm/0.295"	PVC - Gray	UL CMR/FT4	305m/1000ft Spool	21kgs/46lbs
CAT6SH-WT	4pr F/UTP	23AWG SOL BC / HDPE	7.5mm/0.295"	PVC - White	UL CMR/FT4	305m/1000ft Spool	21kgs/46lbs
Cat6 Shielded HDBaseT Enhanced Indoor/Outdoor Rated:							
HNCPROPLUS-SH-PK	4pr F/UTP	23AWG SOL BC / HDPE	7.5mm/0.295"	UV Sun Res PVC - Pink	UL CMR/FT4	305m/1000ft Box	21kgs/46lbs
Cat6 Shielded Direct Burial and Outdoor Rated:							
CAT6SH-DB	4pr F/UTP	23AWG SOL BC / HDPE	7.5mm/0.295"	LLDPE - Black	Direct Burial/UV Outdoor	305m/1000ft Spool	16kgs/35lbs
CAT6SH-OUT	4pr F/UTP	23AWG SOL BC / HDPE	7.5mm/0.295"	UV Sun Res PE - Black	UV Outdoor	305m/1000ft Spool	19kgs/42lbs

## CAT6

### Cat6 Unshielded

SCP Part Number	Construction	Conductors/Insulation	Nom. OD	Jacket / Color	Installation Rating	Packaged Length	Weight
<i>Cat6 Siamese (Side x Side) Unshielded:</i>							
CAT6-S-BL	2x 4pr U/UTP	23AWG SOL BC / HDPE	12.5mm/0.492"	PVC - Blue	UL CMR/FT4	1000ft Spool	31.2kgs/69lbs
CAT6-S-WT	2x 4pr U/UTP	23AWG SOL BC / HDPE	12.5mm/0.492"	PVC - White	UL CMR/FT4	1000ft Spool	31.2kgs/69lbs
HNCPROPLUS-S-BL	2x 4pr U/UTP	23AWG SOL BC / HDPE	12.5mm/0.492"	UV Sun Res PVC - Blue	UL CMR/FT4	1000ft Spool	31.2kgs/69lbs
<i>Cat6 Unshielded Plenum:</i>							
CAT6-P-BK	4pr U/UTP	23AWG SOL BC / FEP	5.6mm/0.22"	LS-PVC - Black	UL CMP/FT6	305m/1000ft Reel-In-Box	16.4kgs/36lbs
CAT6-P-BK-ETL	4pr U/UTP	23AWG SOL BC / FEP	5.6mm/0.22"	LS-PVC - Black	ETL CMP/FT6	305m/1000ft Reel-In-Box	16.4kgs/36lbs
CAT6-P-BL	4pr U/UTP	23AWG SOL BC / FEP	5.6mm/0.22"	LS-PVC - Blue	UL CMP/FT6	305m/1000ft Reel-In-Box	16.4kgs/36lbs
CAT6-P-BL-ETL	4pr U/UTP	23AWG SOL BC / FEP	5.6mm/0.22"	LS-PVC - Blue	ETL CMP/FT6	305m/1000ft Reel-In-Box	16.4kgs/36lbs
CAT6-P-GN	4pr U/UTP	23AWG SOL BC / FEP	5.6mm/0.22"	LS-PVC - Green	UL CMP/FT6	305m/1000ft Reel-In-Box	16.4kgs/36lbs
CAT6-P-GN-ETL	4pr U/UTP	23AWG SOL BC / FEP	5.6mm/0.22"	LS-PVC - Green	ETL CMP/FT6	305m/1000ft Reel-In-Box	16.4kgs/36lbs
CAT6-P-GY	4pr U/UTP	23AWG SOL BC / FEP	5.6mm/0.22"	LS-PVC - Gray	UL CMP/FT6	305m/1000ft Reel-In-Box	16.4kgs/36lbs
CAT6-P-PUR	4pr U/UTP	23AWG SOL BC / FEP	5.6mm/0.22"	LS-PVC - Purple	UL CMP/FT6	305m/1000ft Reel-In-Box	16.4kgs/36lbs
CAT6-P-WT	4pr U/UTP	23AWG SOL BC / FEP	5.6mm/0.22"	LS-PVC - White	UL CMP/FT6	305m/1000ft Reel-In-Box	16.4kgs/36lbs
CAT6-P-WT-ETL	4pr U/UTP	23AWG SOL BC / FEP	5.6mm/0.22"	LS-PVC - White	ETL CMP/FT6	305m/1000ft Reel-In-Box	16.4kgs/36lbs
CAT6-P-YL	4pr U/UTP	23AWG SOL BC / FEP	5.6mm/0.22"	LS-PVC - Yellow	UL CMP/FT6	305m/1000ft Reel-In-Box	16.4kgs/36lbs
CAT6-P-YL-ETL	4pr U/UTP	23AWG SOL BC / FEP	5.6mm/0.22"	LS-PVC - Yellow	ETL CMP/FT6	305m/1000ft Reel-In-Box	16.4kgs/36lbs
<i>Cat6 Unshielded LSZH:</i>							
CAT6-BL-LSZH	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	LSZH - Blue	IEC 60332-1-2	305m/1000ft Box	14.5kgs/32lbs
CAT6-GN-LSZH	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	LSZH - Green	IEC 60332-1-2	305m/1000ft Box	14.5kgs/32lbs
CAT6-OR-LSZH	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	LSZH - Orange	IEC 60332-1-2	305m/1000ft Box	14.5kgs/32lbs
CAT6-WT-LSZH	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	LSZH - White	IEC 60332-1-2	305m/1000ft Box	14.5kgs/32lbs
<i>Cat6 Unshielded PVC:</i>							
CAT6-BK	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	PVC - Black	UL CMR/FT4	305m/1000ft Box	14.2kgs/31lbs
CAT6-BK-ETL	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	PVC - Black	ETL CMR/FT4	305m/1000ft Box	14.2kgs/31lbs
CAT6-BK-HDBX	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	PVC - Black	UL CMR/FT4	1000ft Heavy Duty Box	14.5kgs/31.5lbs
CAT6-BL	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	PVC - Blue	UL CMR/FT4	305m/1000ft Box	14.2kgs/31lbs
CAT6-BL-ETL	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	PVC - Blue	ETL CMR/FT4	305m/1000ft Box	14.2kgs/31lbs
CAT6-BL-HDBX	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	PVC - Blue	UL CMR/FT4	1000ft Heavy Duty Box	14.5kgs/31.5lbs
CAT6-GN	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	PVC - Green	UL CMR/FT4	305m/1000ft Box	14.2kgs/31lbs
CAT6-GN-ETL	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	PVC - Green	ETL CMR/FT4	305m/1000ft Box	14.2kgs/31lbs
CAT6-GY	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	PVC - Gray	UL CMR/FT4	305m/1000ft Box	14.2kgs/31lbs
CAT6-GY-ETL	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	PVC - Gray	ETL CMR/FT4	305m/1000ft Box	14.2kgs/31lbs
CAT6-GY-HDBX	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	PVC - Gray	UL CMR/FT4	1000ft Heavy Duty Box	14.5kgs/31.5lbs
CAT6-OR	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	PVC - Orange	UL CMR/FT4	305m/1000ft Box	14.2kgs/31lbs
CAT6-OR-ETL	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	PVC - Orange	ETL CMR/FT4	305m/1000ft Box	14.2kgs/31lbs
CAT6-PUR	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	PVC - Purple	UL CMR/FT4	305m/1000ft Box	14.2kgs/31lbs
CAT6-PUR-ETL	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	PVC - Purple	ETL CMR/FT4	305m/1000ft Box	14.2kgs/31lbs
CAT6-RD	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	PVC - Red	UL CMR/FT4	305m/1000ft Box	14.2kgs/31lbs
CAT6-RD-ETL	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	PVC - Red	ETL CMR/FT4	305m/1000ft Box	14.2kgs/31lbs
CAT6-WT	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	PVC - White	UL CMR/FT4	305m/1000ft Box	14.2kgs/31lbs
CAT6-WT-ETL	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	PVC - White	ETL CMR/FT4	305m/1000ft Box	14.2kgs/31lbs
CAT6-WT-HDBX	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	PVC - White	UL CMR/FT4	1000ft Heavy Duty Box	14.5kgs/31.5lbs
CAT6-YL	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	PVC - Yellow	UL CMR/FT4	305m/1000ft Box	14.2kgs/31lbs
CAT6-YL-ETL	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	PVC - Yellow	ETL CMR/FT4	305m/1000ft Box	14.2kgs/31lbs
<i>Cat6 Unshielded HDBaseT Enhanced Indoor/Outdoor Rated:</i>							
HNCPROPLUS-BK	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	UV Sun Res PVC - Black	UL CMR/FT4	305m/1000ft Box	14.3kgs/32lbs
HNCPROPLUS-BL	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	UV Sun Res PVC - Blue	UL CMR/FT4	305m/1000ft Box	14.3kgs/32lbs
HNCPROPLUS-GN	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	UV Sun Res PVC - Green	UL CMR/FT4	305m/1000ft Box	14.3kgs/32lbs
HNCPROPLUS-GY	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	UV Sun Res PVC - Gray	UL CMR/FT4	305m/1000ft Box	14.3kgs/32lbs
HNCPROPLUS-OR	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	UV Sun Res PVC - Orange	UL CMR/FT4	305m/1000ft Box	14.3kgs/32lbs
HNCPROPLUS-RD	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	UV Sun Res PVC - Red	UL CMR/FT4	305m/1000ft Box	14.3kgs/32lbs
HNCPROPLUS-WT	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	UV Sun Res PVC - White	UL CMR/FT4	305m/1000ft Box	14.3kgs/32lbs
HNCPROPLUS-YL	4pr U/UTP	23AWG SOL BC / HDPE	6.20mm/0.244"	UV Sun Res PVC - Yellow	UL CMR/FT4	305m/1000ft Box	14.3kgs/32lbs
<i>Cat6 Unshielded Direct Burial:</i>							
CAT6-DB	4pr U/UTP	23AWG SOL BC / HDPE	7.0mm/0.275"	LLDPE - Black	Direct Burial/UV Outdoor	305m/1000ft Spool	16kgs/35lbs

## CAT5E

Features		Compliance		Applications			
350MHz tested Gigabit Ethernet; HDBaseT Enhanced; UL Plenum/Riser Rated; UV Sun Resistant; Descending FT and Zone/Outlet Jkt Markings ; SCP Tangle-Free Reelx II Boxes; Limited Lifetime Warranty		ANSI/TIA 568.2-D; ISO/IEC 11801 Class D; IEC 60332-1-2; PoE, PoH; IEEE 802.3bt; HDBaseT Recommended; UL CMP C(UL) FT6; UL CMR C(UL) FT4; ETL CMP FT6, CMR FT4; UL 444, UL 1666; RoHS		High performance IT, LAN & Ethernet installations. Suitable for use in all Class D structured wiring systems. PoE/PoH Compliant			
<b>Cat5e Shielded</b>							
SCP Part Number	Construction	Conductors/Insulation	Nom. OD	Jacket / Color	Installation Rating	Packaged Length	Weight
CAT5E-SHP-BL	4pr F/UTP	24AWG SOL BC / FEP	5.9mm/0.232"	LS-PVC - Blue	ETL CMP/FT6	305m/1000ft Box	14.5kgs/32lbs
CAT5E-SHP-WT	4pr F/UTP	24AWG SOL BC / FEP	5.9mm/0.232"	LS-PVC - White	ETL CMP/FT6	305m/1000ft Box	14.5kgs/32lbs
CAT5E-SH-BK	4pr F/UTP	24AWG SOL BC / HDPE	6.0mm/0.236"	PVC - Black	UL CMR/FT4	305m/1000ft Box	13.2kgs/29lbs
CAT5E-SH-BL	4pr F/UTP	24AWG SOL BC / HDPE	6.0mm/0.236"	PVC - Blue	UL CMR/FT4	305m/1000ft Box	13.2kgs/29lbs
CAT5E-SH-GY	4pr F/UTP	24AWG SOL BC / HDPE	6.0mm/0.236"	PVC - Gray	UL CMR/FT4	305m/1000ft Box	13.2kgs/29lbs
CAT5E-SH-WT	4pr F/UTP	24AWG SOL BC / HDPE	6.0mm/0.236"	PVC - White	UL CMR/FT4	305m/1000ft Box	13.2kgs/29lbs
<i>Cat5e Shielded HDBaseT Enhanced Indoor/Outdoor Rated:</i>							
HNCPRO-SH-PK	4pr F/UTP	24AWG SOL BC / HDPE	6.0mm/0.236"	UV Sun Res PVC - Pink	UL CMR/FT4	305m/1000ft Box	14kgs/31lbs
<i>Cat5e Shielded Direct Burial and Outdoor Rated:</i>							
CAT5E-SH-DB	4pr F/UTP	24AWG SOL BC / HDPE	6.5mm/0.256"	LLDPE - Black	Direct Burial/UV Outdoor	305m/1000ft Spool	15.8kgs/35lbs
CAT5E-AER	4pr F/UTP w/Mess	24AWG SOL BC / HDPE	6.5mm/0.256"	LLDPE - Black	UV Outdoor	305m/1000ft Spool	17kgs/37lbs

# CAT5E

## Cat5e Unshielded

SCP Part Number	Construction	Conductors/Insulation	Nom. OD	Jacket / Color	Installation Rating	Packaged Length	Weight
<b>Cat5e Siamese (Side x Side) Unshielded:</b>							
CAT5E-S-BL	2x 4pr U/UTP	24AWG SOL BC / HDPE	10.3mm/0.405"	PVC - Blue	UL CMR/FT4	305m/1000ft Box	20kgs/44lbs
<b>Cat5e 25-Pair Unshielded:</b>							
CAT5E-25PR	25pr U/UTP	24AWG SOL BC / HDPE	12.0mm/0.472"	PVC - Blue	UL CMR/FT4	305m/1000ft Spool	61.4kgs/135lbs
CAT5E-25PR-DB	25pr U/UTP Gel	24AWG SOL BC / HDPE	12.0mm/0.472"	LLDPE - Black	Direct Burial/UV Outdoor	305m/1000ft Spool	66.7kgs/147lbs
<b>Cat5e Plenum Unshielded:</b>							
CAT5E-P-BK	4pr U/UTP	24AWG SOL BC / FEP	4.4mm/0.173"	LS-PVC - Black	UL CMP/FT6	305m/1000ft Box	9.4kgs/21lbs
CAT5E-P-BL	4pr U/UTP	24AWG SOL BC / FEP	4.4mm/0.173"	LS-PVC - Blue	UL CMP/FT6	305m/1000ft Box	9.4kgs/21lbs
CAT5E-P-BL-ETL	4pr U/UTP	24AWG SOL BC / FEP	4.4mm/0.173"	LS-PVC - Blue	ETL CMP/FT6	305m/1000ft Box	9.4kgs/21lbs
CAT5E-P-GN	4pr U/UTP	24AWG SOL BC / FEP	4.4mm/0.173"	LS-PVC - Green	UL CMP/FT6	305m/1000ft Box	9.4kgs/21lbs
CAT5E-P-GY	4pr U/UTP	24AWG SOL BC / FEP	4.4mm/0.173"	LS-PVC - Gray	UL CMP/FT6	305m/1000ft Box	9.4kgs/21lbs
CAT5E-P-WT	4pr U/UTP	24AWG SOL BC / FEP	4.4mm/0.173"	LS-PVC - White	UL CMP/FT6	305m/1000ft Box	9.4kgs/21lbs
CAT5E-P-WT-ETL	4pr U/UTP	24AWG SOL BC / FEP	4.4mm/0.173"	LS-PVC - White	ETL CMP/FT6	305m/1000ft Box	9.4kgs/21lbs
CAT5E-P-YL	4pr U/UTP	24AWG SOL BC / FEP	4.4mm/0.173"	LS-PVC - Yellow	UL CMP/FT6	305m/1000ft Box	9.4kgs/21lbs
<b>Cat5e HDBaseT Enhanced Indoor/Outdoor Rated:</b>							
HNCPRO-BL	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	UV Sun Res PVC- Blue	UL CMR/FT4	305m/1000ft Box	9.75kgs/21.5lbs
HNCPRO-GN	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	UV Sun Res PVC- Green	UL CMR/FT4	305m/1000ft Box	9.75kgs/21.5lbs
HNCPRO-WT	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	UV Sun Res PVC- White	UL CMR/FT4	305m/1000ft Box	9.75kgs/21.5lbs
HNCPRO-YL	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	UV Sun Res PVC- Yellow	UL CMR/FT4	305m/1000ft Box	9.75kgs/21.5lbs
<b>Cat5e Unshielded Direct Burial and Outdoor Rated:</b>							
CAT5E-DB	4pr U/UTP	24AWG SOL BC / HDPE	5.3mm/0.208"	LLDPE - Black	Direct Burial/UV Outdoor	305m/1000ft Spool	10kgs/22lbs
CAT5E-DB-500	4pr U/UTP	24AWG SOL BC / HDPE	5.3mm/0.208"	LLDPE - Black	Direct Burial/UV Outdoor	152m/500ft Spool	5.3kgs/12lbs
CAT5E-IN/OUT	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	UV Sun Res PVC- Black	UL CMR/FT4	305m/1000ft Box	9.7kgs/21lbs
CAT5E-IN/OUT-WT	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	UV Sun Res PVC- White	UL CMR/FT4	305m/1000ft Box	9.7kgs/21lbs
<b>Cat5e PVC Unshielded:</b>							
CAT5E-BK	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Black	UL CMR/FT4	305m/1000ft Box	9.7kgs/21lbs
CAT5E-BK-ETL	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Black	ETL CMR/FT4	305m/1000ft Box	9.2lbs/20lbs
CAT5E-BK-HDBX	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Black	UL CMR/FT4	1000ft Heavy Duty Box	9.8kgs/21.5lbs
CAT5E-BLUE	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Blue	UL CMR/FT4	305m/1000ft Box	9.7kgs/21lbs
CAT5E-BLUE-5	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Blue	UL CMR/FT4	152m/500ft Box	5.4kgs/12lbs
CAT5E-BLUE-5-ETL	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Blue	ETL CMR/FT4	152m/500ft Box	5.4kgs/12lbs
CAT5E-BLUE-ETL	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Blue	ETL CMR/FT4	305m/1000ft Box	9.2kgs/20lbs
CAT5E-GN	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Green	UL CMR/FT4	305m/1000ft Box	9.7kgs/21lbs
CAT5E-GN-5	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Green	UL CMR/FT4	152m/500ft Box	5.4kgs/12lbs
CAT5E-GN-5-ETL	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Green	ETL CMR/FT4	152m/500ft Box	5.4kgs/12lbs
CAT5E-GN-ETL	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Green	ETL CMR/FT4	305m/1000ft Box	9.2kgs/20lbs
CAT5E-GRAY	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Gray	UL CMR/FT4	305m/1000ft Box	9.7kgs/21lbs
CAT5E-GRAY-ETL	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Gray	ETL CMR/FT4	305m/1000ft Box	9.2kgs/20lbs
CAT5E-OR	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Orange	UL CMR/FT4	305m/1000ft Box	9.7kgs/21lbs
CAT5E-OR-ETL	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Orange	ETL CMR/FT4	305m/1000ft Box	9.2kgs/20lbs
CAT5E-OR-HDBX	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Orange	UL CMR/FT4	1000ft Heavy Duty Box	9.8kgs/21.5lbs
CAT5E-PK-5-ETL	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Pink	ETL CMR/FT4	152m/500ft Box	5.4kgs/12lbs
CAT5E-PUR	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Purple	UL CMR/FT4	305m/1000ft Box	9.7kgs/21lbs
CAT5E-PUR-ETL	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Purple	ETL CMR/FT4	305m/1000ft Box	9.2lbs/20lbs
CAT5E-RD	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Red	UL CMR/FT4	305m/1000ft Box	9.7kgs/21lbs
CAT5E-RD-ETL	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Red	ETL CMR/FT4	305m/1000ft Box	9.2lbs/20lbs
CAT5E-WT	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - White	UL CMR/FT4	305m/1000ft Box	9.7kgs/21lbs
CAT5E-WT-5	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - White	UL CMR/FT4	152m/500ft Box	5.4kgs/12lbs
CAT5E-WT-5-ETL	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - White	ETL CMR/FT4	152m/500ft Box	5.4kgs/12lbs
CAT5E-WT-ETL	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - White	ETL CMR/FT4	305m/1000ft Box	9.2kgs/20lbs
CAT5E-YL	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Yellow	UL CMR/FT4	305m/1000ft Box	9.7kgs/21lbs
CAT5E-YL-5	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Yellow	ETL CMR/FT4	152m/500ft Box	5.4kgs/12lbs
CAT5E-YL-5-ETL	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Yellow	ETL CMR/FT4	152m/500ft Box	5.4kgs/12lbs
CAT5E-YL-ETL	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Yellow	UL CMR/FT4	305m/1000ft Box	9.2kgs/20lbs
CAT5E-YL-HDBX	4pr U/UTP	24AWG SOL BC / HDPE	5.1mm/0.20"	PVC - Yellow	UL CMR/FT4	1000ft Heavy Duty Box	9.8kgs/21.5lbs

# CAT3

Features	Compliance	Applications					
10BaseT Ethernet horizontal premise cable. Suitable for use in all Class C structured wiring systems. Descending FT and Zone/Outlet Jkt Markings. Limited Lifetime Warranty.	ANSI/TIA 568.2-D Cat3; ISO/IEC 11801 Class C; UL CMR c(UL) FT4; UL 444 UL 1666; RoHS	Telephone, Data & Communications, Telephone Closet Wiring					
SCP Part Number	Construction	Conductors/Insulation	Nom. OD	Jacket / Color	Installation Rating	Packaged Length	Weight
CAT3-25PR	25PR U/UTP	24AWG SOL BC / HDPE	12.0mm/0.472"	PVC - Blue	UL CMR/FT4	305m/1000ft Spool	61.4kgs/135lbs
CAT3-3PR-GY	3pr U/UTP	24AWG SOL BC / HDPE	4.5mm/0.177"	PVC - Gray	UL CMR/FT4	305m/1000ft Box	6.6kgs/14.5lbs
CAT3-2PR-GY	2pr U/UTP	24AWG SOL BC / HDPE	4.0mm/0.157"	PVC - Gray	UL CMR/FT4	305m/1000ft Box	5.35kgs/12lbs

All weights and dimensions are approximate and every effort has been made to ensure its accuracy at time of publication. The information herein is subject to change without notice.



### Private Label & OEM Services

SCP is a manufacturer and product developer. SCP is an industry leader in cable and connectivity development. Are you interested in private label or OEM services for bulk cables or connectivity solutions? Private Label can differentiate your brand from the competition and improves customer retention. Let us know what your needs are to see if Private Label or OEM services is a better solution for you.

For more information contact us at:  
[sales@scpcat5e.com](mailto:sales@scpcat5e.com) | Phone: +1 (954) 327-5770

SCP Corporate Office:  
 3490 SW 30th Ave, Dania Beach, FL 33312, USA

