





Structured Cable Products®

Quality Installations Deserve Quality Products

REV0523



Serving the Custom Installation, AV, DataCom, Electrical, CATV and Security markets for over 20 years.



BULK CABLE & ACCESSORY PRODUCT LINES





OUR COMPANY

Structured Cable Products Inc (“SCP”) – Ft. Lauderdale, FL USA, is a leading manufacturer and global supplier of low voltage cables and infrastructure accessories. Serving the Custom Installation, AV, DataCom, Electrical, CATV, and Security markets for over 20 years. Please find in this brochure a listing of our core products and product line solutions for our EU warehouse.

For our USA warehouses, please refer to our North America brochure.



CELEBRATING 20 YEARS IN BUSINESS



For over 20 Years SCP has been a trusted brand in the low voltage cable industry. SCP has grown into a global industry leader with sales and distribution in over 80 countries and over 1400 inventory items.

We recognize our growth and success could not have been done without the support of our domestic/international distribution partners along with a dedicated team of people here at SCP. We want to thank all of you for your support!

SCP DELIVERS LOW VOLTAGE SOLUTIONS FOR THE 21ST CENTURY



AV and ProAV



Commercial



Residential



Buying Groups



Multi-Dwelling Units



Houses of Worship



LAN/Networking



Education



Hospitality

WE LISTEN

When we get asked why a company should do business with SCP, the most concise reply: **WE LISTEN**. We listen to you. We listen to your challenges, your needs, your ideas and your suggestions. We then use this knowledge to develop better products, better solutions, better service, and a better company.

Our value proposition is built on four principles: **Quality, Selection, Service & Value.**

Quality

- Uncompromising commitment to consistently deliver high quality products
- Industry innovation and leadership. Not just another brand on a box
- 3rd Party Certifications: UL, cUL, ETL, CPR EuroClasses Eca to B2ca
- Our popular tangle-free & lightweight pull boxes, now even better
- Lifetime Warranty SCP branded bulk cables
- Growing list of TAA compliant products

Selection

- Wide product range focused on end-to-end solutions
- Over 1400 total sku's and over 250 million feet of cable in stock
- SCP brand sold in over 80 countries worldwide
- Ongoing product development to meet your needs today and tomorrow

Service

- Knowledgeable team of people that are easy to do business with
- Training support to our value-added distributors
- Fast same day shipping from USA warehouses
- Convenient distribution centers –
USA: Florida & Texas; Europe: The Netherlands
- Private label, OEM, and Factory Direct for our international customers

Value

- Affordable solutions without compromising on quality
- Best combination of quality, selection, service & pricing in the industry



Category/LAN Cables



Structured Cable Products ("SCP"), Fort Lauderdale, USA, is a leading manufacturer and global supplier of low voltage cables and connectivity accessories. SCP Category/LAN cables provide the highest quality, performance and value on the market today. SCP offers a wide variety of Category/LAN solutions to accommodate almost any installation need. SCP also features our HDBaseT Enhanced Category/LAN cables. SCP was the first cable manufacturer to have their cables HDBaseT Recommended. Our Category/LAN cables come in a variety of constructions, CPR ratings, jacket colors, and packaging options. Most of our Category/LAN cables come in our installer friendly SCP "tangle free" Reellex II boxes. All of our Category/LAN cables come with our 25 Year System Performance Warranty.

CAT7A							
Features			Compliance		Applications		
10GBaseT; HDBaseT Enhanced; CPR Compliant: B2ca to Dca; Descending M/FT and Zone/Outlet Jkt Markings; Packaging: Spool; 25 Year System Performance Warranty.			ANSI/TIA 568.2-D; ISO/IEC 11801 Class Fa; EN50173; EN50575 CPR; IEC 60332-1-2; IEC 60754-1,2; IEC 61034-1,2; IEC 61156; EN50288; EN50399; BS6701; PoE: IEEE 802.3bt; RoHS		1200MHz rated high performance IT, LAN & Ethernet installations. Suitable for use in all Class Fa structured wiring systems. HDBaseT Recommended; PoE/PoH Compliant.		
SCP Part Number	Construction	Conductors/Insulation	Nom. OD	Jacket / Color	Installation Rating	Packaged Length	Weight
B2ca Rated Cat7a:							
CAT7A-LSZH-BL-B2	4pr S/FTP	23AWG SOL BC / SFPE	7.9mm	LSZH - Blue	BS6701, B2ca-s1a,d1,a1	305m/1000ft Spool	22kgs/48lbs
Cat7a HDBaseT Enhanced Dca Rated:							
HNCPROPLUS-7A-LSZH	4pr S/FTP	23AWG SOL BC / SFPE	7.5mm	LSZH - Ice Blue	Dca-s1,d1,a1	305m/1000ft Spool	21kgs/46lbs

CAT6A							
Features			Compliance		Applications		
10GBaseT; HDBaseT Enhanced; CPR Compliant: B2ca to Dca; UL Listed; UV Sun Resistant; Descending M/FT and Zone/Outlet Jkt Markings; Packaging: Spool, Reel-in-Box, SCP Tangle-Free Reellex II Boxes; 25 Year System Performance Warranty.			ANSI/TIA 568.2-D; ISO/IEC 11801 Class Ea; EN50173; EN50575 CPR; IEC 60332-1-2; IEC 60754-1,2; IEC 61034-1,2; IEC 61156; EN50288; EN50399; BS6701; PoE: IEEE 802.3bt; RoHS		600MHz rated high performance IT, LAN & Ethernet installations. Suitable for use in all Class Ea structured wiring systems. HDBaseT Recommended; PoE/PoH Compliant.		
Cat6a Shielded							
SCP Part Number	Construction	Conductors/Insulation	Nom. OD	Jacket / Color	Installation Rating	Packaged Length	Weight
B2ca Rated Cat6a Shielded:							
CAT6A-U/FTP-LSZH-BL	4pr U/FTP	23AWG SOL BC / SFPE	7.4mm	LSZH - Blue	BS6701, B2ca-s1a,d1,a1	305m/1000ft Spool	18.3kgs/40lbs
CAT6A-U/FTP-LSZH-WT-B2	4pr U/FTP	23AWG SOL BC / SFPE	7.4mm	LSZH - White	BS6701, B2ca-s1a,d1,a1	305m/1000ft Spool	18.3kgs/40lbs
Cat6a Shielded Dca Rated:							
CAT6A-U/FTP-LSZH-BL-D	4pr U/FTP	23AWG SOL BC / SFPE	7.4mm	LSZH - Blue	Dca-s1,d2,a1	305m/1000ft Spool	18.3kgs/40lbs
Cat6a Shielded HDBaseT Enhanced Dca Rated:							
HNCPROPLUS-6A-LSZH-BL-D	4pr U/FTP	23AWG SOL BC / SFPE	7.4mm	LSZH - Blue	Dca-s1,d1,a1	305m/1000ft Spool	18.5kgs/41lbs
HNCPROPLUS-6A-LSZH-BL-D-BX	4pr U/FTP	23AWG SOL BC / SFPE	7.4mm	LSZH - Blue	Dca-s1,d1,a1	305m/1000ft Reel-In-Box	19.5kgs/43lbs
HNCPROPLUS-6A-LSZH-BK	4pr U/FTP	23AWG SOL BC / SFPE	7.4mm	LSZH - White	Dca-s1,d1,a1	305m/1000ft Spool	18.5kgs/41lbs
Cat6a Unshielded							
SCP Part Number	Construction	Conductors/Insulation	Nom. OD	Jacket / Color	Installation Rating	Packaged Length	Weight
LSZH Cat6a Unshielded HDBaseT Enhanced Dca-s2,d2,a1:							
HNCPROPLUS-6A-UTP-LSZH-BL-BX	4pr U/UTP	23AWG / HDPE	6.8mm	LSZH - Blue	Dca-s2,d2,a1	305m/1000ft Reel-in-Box	18.5kgs/41lbs
HNCPROPLUS-6A-UTP-LSZH-WT-BX	4pr U/UTP	23AWG / HDPE	6.8mm	LSZH - White	Dca-s2,d2,a1	305m/1000ft Reel-in-Box	18.5kgs/41lbs
Indoor/Outdoor Rated PVC - Cat6a Unshielded HDBaseT Enhanced Dca-s3,d2,a3:							
HNCPROPLUS-6A-UTP-BK	4pr U/UTP	23AWG / HDPE	6.8mm	UV Sun Res PVC - Black	UL CMR, Dca-s3,d2,a3	305m/1000ft Spool	17.4kgs/38lbs
HNCPROPLUS-6A-UTP-WT	4pr U/UTP	23AWG / HDPE	6.8mm	UV Sun Res PVC - White	UL CMR, Dca-s3,d2,a3	305m/1000ft Spool	17.4kgs/38lbs

CAT6							
Features			Compliance		Applications		
1000BaseT Gigabit; HDBaseT Enhanced; CPR Compliant: B2ca to Dca; UL Listed; UV Sun Resistant; Descending M/FT and Zone/Outlet Jkt Markings; Packaging: Spool, Reel-in-Box, SCP Tangle-Free Reellex II Boxes; 25 Year System Performance Warranty.			ANSI/TIA 568.2-D; ISO/IEC 11801 Class E; EN50173; EN50575 CPR; IEC 60332-1-2; IEC 60754-1,2; IEC 61034-1,2; IEC 61156; EN50288; EN50399; BS6701; PoE: IEEE 802.3bt; RoHS		550MHz rated high performance IT, LAN & Ethernet installations. Suitable for use in all Class E structured wiring systems. HDBaseT Recommended; PoE/PoH Compliant.		
Cat6 Shielded							
SCP Part Number	Construction	Conductors/Insulation	Nom. OD	Jacket / Color	Installation Rating	Packaged Length	Weight
Cat6 Shielded HDBaseT Enhanced Dca Rated:							
HNCPROPLUS-SH-LSZH	4pr F/UTP	23AWG / HDPE	7.50mm	LSZH - Blue	Dca-s1,d1,a1	305m/1000ft Spool	20.5kgs/45lbs
HNCPROPLUS-SH-BL-D	4pr F/UTP	23AWG / HDPE	7.50mm	UV Sun Res PVC - Blue	Dca-s3,d2,a3	305m/1000ft Spool	21kgs/46lbs
HNCPROPLUS-SH-PK-D	4pr F/UTP	23AWG / HDPE	7.50mm	UV Sun Res PVC - Pink	Dca-s3,d2,a3	305m/1000ft Spool	21kgs/46lbs
Cat6 Shielded Dca Rated:							
CAT6SH-WT-LSZH	4pr F/UTP	23AWG / HDPE	7.50mm	LSZH - White	Dca-s1,d1,a1	305m/1000ft Spool	20.5kgs/45lbs
Cat6 Unshielded							
SCP Part Number	Construction	Conductors/Insulation	Nom. OD	Jacket / Color	Installation Rating	Packaged Length	Weight
B2ca Rated Cat6 Unshielded LSZH:							
CAT6-LSZH-VL-B2	4pr U/UTP	23AWG / FPE	6.8mm	BS6701, LSZH - Violet	BS6701, B2ca-s1a,d1,a1	305m/1000ft Reel-In-Box	21kgs/46lbs
B2ca Rated Cat6 Unshielded HDBaseT Enhanced:							
HNCPROPLUS-LSZH-BL-B2	4pr U/UTP	23AWG / FPE	6.8mm	BS6701, LSZH - Blue	BS6701, B2ca-s1a,d1,a1	305m/1000ft Reel-In-Box	21kgs/46lbs
HNCPROPLUS-LSZH-WT-B2	4pr U/UTP	23AWG / FPE	6.8mm	BS6701, LSZH - White	BS6701, B2ca-s1a,d1,a1	305m/1000ft Reel-In-Box	21kgs/46lbs

All weights and dimensions are approximate and every effort has been made to ensure its accuracy at time of publication. The information herein is subject to change without notice.

CAT6

Cat6 Unshielded

SCP Part Number	Construction	Conductors/Insulation	Nom. OD	Jacket / Color	Installation Rating	Packaged Length	Weight
<i>Cat6 Unshielded HDBaseT Enhanced Dca Rated:</i>							
HNCPROPLUS-LSZH-BL	4pr U/UTP	23AWG / HDPE	6.20mm	LSZH - Blue	Dca-s1,d1,a1	305m/1000ft Box	14.5kgs/32lbs
HNCPROPLUS-LSZH-GN	4pr U/UTP	23AWG / HDPE	6.20mm	LSZH - Green	Dca-s1,d1,a1	305m/1000ft Box	14.5kgs/32lbs
HNCPROPLUS-BK-D	4pr U/UTP	23AWG / HDPE	6.20mm	UV Sun Res PVC - Black	UL CMR, Dca-s3,d2,a3	305m/1000ft Box	14.3kgs/32lbs
HNCPROPLUS-BL-D	4pr U/UTP	23AWG / HDPE	6.20mm	UV Sun Res PVC - Blue	UL CMR, Dca-s3,d2,a3	305m/1000ft Box	14.3kgs/32lbs
HNCPROPLUS-GN-D	4pr U/UTP	23AWG / HDPE	6.20mm	UV Sun Res PVC - Green	UL CMR, Dca-s3,d2,a3	305m/1000ft Box	14.3kgs/32lbs
HNCPROPLUS-OR-D	4pr U/UTP	23AWG / HDPE	6.20mm	UV Sun Res PVC - Orange	UL CMR, Dca-s3,d2,a3	305m/1000ft Box	14.3kgs/32lbs
HNCPROPLUS-RD-D	4pr U/UTP	23AWG / HDPE	6.20mm	UV Sun Res PVC - Red	UL CMR, Dca-s3,d2,a3	305m/1000ft Box	14.3kgs/32lbs
HNCPROPLUS-WT-D	4pr U/UTP	23AWG / HDPE	6.20mm	UV Sun Res PVC - White	UL CMR, Dca-s3,d2,a3	305m/1000ft Box	14.3kgs/32lbs
HNCPROPLUS-YL-D	4pr U/UTP	23AWG / HDPE	6.20mm	UV Sun Res PVC - Yellow	UL CMR, Dca-s3,d2,a3	305m/1000ft Box	14.3kgs/32lbs

Cat6 Unshielded Dca Rated:

CAT6-LSZH-BK-D	4pr U/UTP	23AWG / HDPE	6.20mm	LSZH - Blue	Dca-s1,d1,a1	305m/1000ft Box	14.5kgs/32lbs
CAT6-LSZH-GY	4pr U/UTP	23AWG / HDPE	6.20mm	LSZH - Green	Dca-s1,d1,a1	305m/1000ft Box	14.5kgs/32lbs
CAT6-OR-LSZH	4pr U/UTP	23AWG / HDPE	6.20mm	LSZH - Orange	Dca-s1,d1,a1	305m/1000ft Box	14.5kgs/32lbs
CAT6-WT-LSZH	4pr U/UTP	23AWG / HDPE	6.20mm	LSZH - White	Dca-s1,d1,a1	305m/1000ft Box	14.5kgs/32lbs
CAT6-BK-D	4pr U/UTP	23AWG / HDPE	6.20mm	PVC - Black	Dca-s1,d1,a1	305m/1000ft Box	14.2kgs/31lbs
CAT6-BL-D	4pr U/UTP	23AWG / HDPE	6.20mm	PVC - Blue	Dca-s1,d1,a1	305m/1000ft Box	14.2kgs/31lbs
CAT6-GY-D	4pr U/UTP	23AWG / HDPE	6.20mm	PVC - Gray	UL CMR, Dca-s3,d2,a3	305m/1000ft Box	14.2kgs/31lbs
CAT6-GN-D	4pr U/UTP	23AWG / HDPE	6.20mm	PVC - Green	UL CMR, Dca-s3,d2,a3	305m/1000ft Box	14.2kgs/31lbs
CAT6-RD-D	4pr U/UTP	23AWG / HDPE	6.20mm	PVC - Red	UL CMR, Dca-s3,d2,a3	305m/1000ft Box	14.2kgs/31lbs
CAT6-WT-D	4pr U/UTP	23AWG / HDPE	6.20mm	PVC - White	UL CMR, Dca-s3,d2,a3	305m/1000ft Box	14.2kgs/31lbs
CAT6-YL-D	4pr U/UTP	23AWG / HDPE	6.20mm	PVC - Yellow	UL CMR, Dca-s3,d2,a3	305m/1000ft Box	14.2kgs/31lbs

Cat6 Direct Burial

SCP Cat6 Direct Burial cables feature LLDPE (Linear Low-Density Polyethylene) jackets that provide superior performance over PVC or standard PE jacket cables. These cables also are UV Sun Resistant and retain flexible performance in both hot and cold environments.

SCP Part Number	Construction	Conductors/Insulation	Nom. OD	Jacket / Color	Installation Rating	Packaged Length	Weight
<i>B2ca Rated Cat6 Unshielded LSZH:</i>							
CAT6-DB	4pr U/UTP	23AWG / HDPE	7.0mm	UV LLDPE - Black	Direct Burial/Outdoor	305m/1000ft Spool	16kgs/35lbs
CAT6SH-DB	4pr F/UTP	23AWG / HDPE	7.50mm	UV LLDPE - Black	Direct Burial/Outdoor	305m/1000ft Spool	16kgs/35lbs

CAT5E

Features	Compliance	Applications
Gigabit Ethernet; HDBaseT Enhanced; CPR Compliant; UL Listed; UV Sun Resistant; Descending M/FT and Zone/Outlet Jkt Markings ; SCP Tangle-Free Reellex II Boxes; 25 Year System Performance Warranty	ANSI/TIA 568.2-D; ISO/IEC 11801 Class D; EN50173; EN50575 CPR; IEC 60332-1-2; IEC 60754-1,2; IEC 61034-1,2; IEC 61156; EN50288; EN50399; PoE: IEEE 802.3bt; RoHS	350MHz rated high performance IT, LAN & Ethernet installations. Suitable for use in all Class D structured wiring systems. HDBaseT Recommended; PoE/PoH Compliant.

Cat5e Shielded

SCP Part Number	Construction	Conductors/Insulation	Nom. OD	Jacket / Color	Installation Rating	Packaged Length	Weight
<i>Cat5e Shielded HDBaseT Enhanced Dca Rated:</i>							
HNCPRO-SH-LSZH	4pr F/UTP	24AWG / HDPE	6.0mm	LSZH - Ice Blue	Dca-s2,d2,a1	305m/1000ft Box	14.5kgs/32lbs
HNCPRO-SH-PK-D	4pr F/UTP	24AWG / HDPE	6.0mm	UV Sun Res PVC- Pink	UL CMR, Dca-s3,d2,a3	305m/1000ft Box	14kgs/31lbs
<i>Cat5e Shielded Dca Rated:</i>							
CAT5E-SH-LSZH-GY	4pr F/UTP	24AWG / HDPE	6.2mm	LSZH - Gray	Dca-s2,d2,a1	305m/1000ft Box	14.5kgs/32lbs
CAT5E-SH-GY-D	4pr F/UTP	24AWG / HDPE	6.0mm	UL CMR PVC - Gray	UL CMR, Dca-s3,d2,a3	305m/1000ft Box	14kgs/31lbs

Cat5e Unshielded

SCP Part Number	Construction	Conductors/Insulation	Nom. OD	Jacket / Color	Installation Rating	Packaged Length	Weight
<i>Cat5e Unshielded HDBaseT Enhanced Dca Rated:</i>							
HNCPRO-LSZH-BL	4pr U/UTP	24AWG / HDPE	5.10mm	LSZH - Blue	Dca-s1,d1,a1	305m/1000ft Box	10.2kgs/22.5lbs
HNCPRO-BL-D	4pr U/UTP	24AWG / HDPE	5.10mm	UV Sun Res PVC- Blue	UL CMR, Dca-s3,d2,a3	305m/1000ft Box	9.75kgs/21.5lbs
HNCPRO-GN-D	4pr U/UTP	24AWG / HDPE	5.10mm	UV Sun Res PVC- Green	UL CMR, Dca-s3,d2,a3	305m/1000ft Box	9.75kgs/21.5lbs
HNCPRO-OR-D	4pr U/UTP	24AWG / HDPE	5.10mm	UV Sun Res PVC- Orange	UL CMR, Dca-s3,d2,a3	305m/1000ft Box	9.75kgs/21.5lbs
HNCPRO-WT-D	4pr U/UTP	24AWG / HDPE	5.10mm	UV Sun Res PVC- White	UL CMR, Dca-s3,d2,a3	305m/1000ft Box	9.75kgs/21.5lbs
<i>Cat5e Unshielded Dca Rated:</i>							
CAT5E-BL-LSZH	4pr U/UTP	24AWG / HDPE	5.10mm	LSZH - Blue	Dca-s1,d1,a1	305m/1000ft Box	10.2kgs/22.5lbs
CAT5E-BK-D	4pr U/UTP	24AWG / HDPE	5.10mm	PVC - Black	UL CMR, Dca-s3,d2,a3	305m/1000ft Box	9.7kgs/21lbs
CAT5E-BL-D	4pr U/UTP	24AWG / HDPE	5.10mm	PVC - Blue	UL CMR, Dca-s3,d2,a3	305m/1000ft Box	9.7kgs/21lbs
CAT5E-GN-D	4pr U/UTP	24AWG / HDPE	5.10mm	PVC - Green	UL CMR, Dca-s3,d2,a3	305m/1000ft Box	9.7kgs/21lbs
CAT5E-OR-D	4pr U/UTP	24AWG / HDPE	5.10mm	PVC - Orange	UL CMR, Dca-s3,d2,a3	305m/1000ft Box	9.7kgs/21lbs

Cat5e Direct Burial

SCP Cat5e Direct Burial cables feature LLDPE (Linear Low-Density Polyethylene) jackets that provide superior performance and durability over PVC or standard PE jacket cables. These cables also are UV Sun Resistant and retains flexible performance in both hot and cold environments.

SCP Part Number	Construction	Conductors/Insulation	Nom. OD	Jacket / Color	Installation Rating	Packaged Length	Weight
<i>B2ca Rated Cat6 Unshielded LSZH:</i>							
CAT5E-DB	4pr U/UTP	24AWG / HDPE	5.30mm	LLDPE - Black	Direct Burial/Outdoor	305m/1000ft Spool	10kgs/22lbs



SCP-EasyFiber®



Structured Cable Products ("SCP"), Fort Lauderdale, USA, is a leading manufacturer and global supplier of low voltage cables and connectivity accessories. SCP cables provide the highest quality, performance and value on the market today. SCP offers a wide variety of cables and accessories to accommodate most commercial/residential installations. This Line Card contains our standard stock items for Fiber cables available at our EU warehouse (The Netherlands). We have many other bulk cables that may be available through our USA warehouses, Custom Order, or through our Factory Direct Program. All of the cables on this line card are CPR rated..

SCP-EasyFiber® OM3 Multimode Fiber

Features			Compliance			
SCP exclusive Ultra-Bendable Cables for Multimode and Single Mode. Featuring Corning® ClearCurve® and SMF-28 Ultra® bend insensitive optical glass. Provides substantially less signal loss and superior installation performance than traditional fiber patch cables. Easier to install.			10G Multimode OM4 50/125, LSZH, EN50575, IEC 60332-1-2, RoHS. Corning® Clearcurve® and Corning® SMF-28® Ultra. Indoor/Outdoor Rated UV Sun Res			
SCP Part Number	Construction	Nom. OD	Jacket	Installation Rated	Packaged Length	Weight
<i>Europe Warehouse - LSZH EN50575 EuroClass: Dca-s1,d1,a1 - Indoor/Outdoor Rated:</i>						
EF-OM3LSD-DUP-AQ	Duplex Zip 10G Multimode OM3 50/125, 2.0mm, SCP-EasyFiber®	2.00mm	LS-PVC - Aqua	Dca, In/Out UV	656ft/200m Reel-in-Box	4.6kg/10.1lbs
EF-DUP-OM3LSZH-AQ	Duplex Zip 10G Multimode OM3 50/125, 2.0mm, SCP-EasyFiber®	2.00mm	LS-PVC - Aqua	Dca, In/Out UV	1000ft/305m Reel-in-Box	
EF-OM3LSD-4DIST-AQ	4 Strand Tight Buffered Distribution, 10G Multimode OM3 50/125, 2.0mm, SCP-EasyFiber®	4.00mm	LS-PVC - Aqua	Dca, In/Out UV	656ft/200m Reel-in-Box	7.7kg/16.9lbs
EF-6DIST-OM3LSZH-BK	6 Strand Tight Buffered Distribution, 10G Multimode OM3 50/125, 2.0mm, SCP-EasyFiber®	5.10mm	LS-PVC - Black	Dca, In/Out UV	1000ft/305m Reel-in-Box	9.1kg/20lbs
EF-12DIST-OM3LSZH-BK	12 Strand Tight Buffered Distribution, 10G Multimode OM3 50/125, 2.0mm, SCP-EasyFiber®	6.20mm	LS-PVC - Black	Dca, In/Out UV	1000ft/305m Reel-in-Box	12.5kg/27.6lbs
<i>Europe Warehouse - LSZH EN50575 EuroClass: B2ca-s1a,d0,a1 - Indoor/Outdoor Rated:</i>						
EF-OM3LSB2-2DIST-BK	2 Strand Tight Buffered Distribution, 10G Multimode OM3 50/125, 2.0mm, SCP-EasyFiber®	4.00mm	LS-PVC - Black	B2ca, In/Out UV	656ft/200m Reel-in-Box	6.2kg/13.6lbs
EF-OM3LSB2-4DIST-BK	4 Strand Tight Buffered Distribution, 10G Multimode OM3 50/125, 2.0mm, SCP-EasyFiber®	4.00mm	LS-PVC - Black	B2ca, In/Out UV	656ft/200m Reel-in-Box	7.7kg/16.9lbs
EF-OM3LSB2-8DIST-BK	8 Strand Tight Buffered Distribution, 10G Multimode OM3 50/125, 2.0mm, SCP-EasyFiber®	6.20mm	LS-PVC - Black	B2ca, In/Out UV	656ft/200m Reel-in-Box	10.5kg/23.1lbs

SCP-EasyFiber® OS2 Single Mode Fiber

Features			Applications			
SCP exclusive Ultra-Bendable Cables for Multimode and Single Mode. Featuring Corning® ClearCurve® and SMF-28 Ultra® bend insensitive optical glass. Provides substantially less signal loss and superior installation performance than traditional fiber patch cables. Easier to install.			10G Single Mode OS2 9/125, LSZH, EN50575, IEC 60332-1-2, RoHS. Corning® Clearcurve® and Corning® SMF-28® Ultra. Indoor/Outdoor Rated UV Sun Res			
SCP Part Number	Construction	Nom. OD	Jacket	Installation Rated	Packaged Length	Weight
<i>Europe Warehouse - LSZH EN50575 EuroClass: Dca-s1,d1,a1 - Indoor/Outdoor Rated:</i>						
EF-SIM-OS2LSZH-WT	Simplex Drop Single Mode OS2 9/125, SCP-EasyFiber®	4.80mm	LS-PVC - White	Dca, In/Out UV	2000ft/610m Reel-in-Box	14.9kg/32.8lbs
EF-OS2LSD-DUP-YL	Duplex Zip Single Mode OS2 9/125, 2.0mm, SCP-EasyFiber®	2.00mm	LS-PVC - Yellow	Dca, In/Out UV	1640ft/500m Reel-in-Box	7.8kg/17.1lbs
EF-DUP-OS2LSZH-YL	Duplex Zip Single Mode OS2 9/125, 2.0mm, SCP-EasyFiber®	2.00mm	LS-PVC - Yellow	Dca, In/Out UV	2000ft/610m Reel-in-Box	8.0kg/17.6lbs
EF-6DIST-OS2LSZH-BK	6 Strand Tight Buffered Distribution, Single Mode OS2 9/125, 2.0mm, SCP-EasyFiber®	5.10mm	LS-PVC - Black	Dca, In/Out UV	2000ft/610m Reel-in-Box	15.2kg/33.5lbs
EF-12DIST-OS2LSZH-BK	12 Strand Tight Buffered Distribution, Single Mode OS2 9/125, 2.0mm, SCP-EasyFiber®	6.20mm	LS-PVC - Black	Dca, In/Out UV	2000ft/610m Reel-in-Box	21.3kgs/47lbs
<i>Europe Warehouse - LSZH EN50575 EuroClass: B2ca-s1a,d0,a1 - Indoor/Outdoor Rated:</i>						
EF-OS2LSB2-2DIST-BK	2 Strand Tight Buffered Distribution, Single Mode OS2 9/125, 2.0mm, SCP-EasyFiber®	4.00mm	LS-PVC - Black	B2ca, In/Out UV	1640ft/500m Reel-in-Box	6.8kg/15lbs
EF-OS2LSB2-4DIST-BK	4 Strand Tight Buffered Distribution, Single Mode OS2 9/125, 2.0mm, SCP-EasyFiber®	4.00mm	LS-PVC - Black	B2ca, In/Out UV	1640ft/500m Reel-in-Box	12.5kg/27.5lbs
EF-OS2LSB2-8DIST-BK	8 Strand Tight Buffered Distribution, Single Mode OS2 9/125, 2.0mm, SCP-EasyFiber®	6.20mm	LS-PVC - Black	B2ca, In/Out UV	1640ft/500m Reel-in-Box	13.8kg/30.4lbs

SCP-EasyFiber®

All multimode or single mode fiber cables are not the same. Professional integrators learned this lesson with Category LAN cables. Well, the same is true with fiber cables. Not understanding that the cable characteristics must match the type of installation can be a fatal installation mistake. Bringing fiber into a home or building requires careful consideration on your cable choice. In our targeted market segments, fiber cables are typically installed by low voltage integrators that also install copper cables. As such, the fiber cable you need must support their installation practices, including:

- Must install "like copper" to lower installation labor costs.
- Must be able to bend "like copper" while maintaining full performance characteristics.
- Must be robust enough to handle more aggressive installation, and
- Must be able to terminate as quickly as an RJ45.



Automation, Lighting and Control Cables



Structured Cable Products ("SCP"), Fort Lauderdale, USA, is a leading manufacturer and global supplier of low voltage cables and connectivity accessories. SCP cables provide the highest quality, performance and value on the market today. SCP offers a wide variety of cables and accessories to accommodate most commercial/residential installations. This Line Card contains our standard stock items for Audio and Coaxial cables available at our EU warehouse (The Netherlands). We have many other bulk cables that may be available through our USA warehouses, Custom Order, or through our Factory Direct Program. All of the cables on this line card are CPR rated and many are UL Listed.

Lutron* System Compatible Cables

Features		Compliance		Applications		
Manufactured to exacting specifications. For use with Lutron® and other control systems. UL PVC or Low Smoke Zero Halogen (LSZH) jacket options. CPR Compliant. Descending M/FT and Zone/Outlet Jkt Markings ; Spool or SCP Tangle-Free Reelx II Box		UL CM CL2/3; EN50575 CPR Compliant; IEC 60332-1-2; IEC 60754-1,2; IEC 61034-1,2; IEC 61156; RoHS		Touch panels, keypads, tuner, audio processors and other control applications. Compatible with Lutron® control systems.		
SCP Part Number	Construction	Nom. OD	Jacket	Installation Rated	Packaged Length	Weight
LUT-BLUE-LSZH	2C/12AWG BC Str w/Ground + 1C/18AWG BC Str + 2C/22AWG BC Str Shielded	8.3mm	LSZH - White w/Blue Stripe	Eca	152m/500ft Spool	38kgs/85lbs
LUT-GREEN-D-BX	2C/18AWG BC Str w/Ground + 2C/22AWG BC Str Twisted Pair, Shielded	6.35mm	PVC - Blue w/Green Stripe	UL CM, Dca-s3,d2,a3	305m/1000ft Box	17.7kgs/39lbs
LUT-GREEN-LSZH-BX	2C/18AWG BC Str w/Ground + 2C/22AWG BC Str Twisted Pair, Shielded	6.35mm	LSZH - White w/Green Stripe	Dca-s2,d1,a3	305m/1000ft Box	17.8kgs/39.2bs
LUT-GREEN-LSZH	2C/18AWG BC Str w/Ground + 2C/22AWG BC Str Twisted Pair, Shielded	6.35mm	LSZH - White w/Green Stripe	Dca-s2,d1,a3	305m/1000ft Spool	17.5kgs/38.5lbs
LUT-QS-LSZH	2C/16AWG BC Str w/Ground + 2C/22AWG BC Str Twisted Pair, Shielded	6.4mm	LSZH - White	Dca-s2,d1,a3	152m/500ft Spool	11.3kgs/25lbs

Crestron* System Compatible Cables

Features		Compliance		Applications		
Compare to Crestnet® bus cable. UL PVC or Low Smoke Zero Halogen (LSZH) jacket options. CPR Compliant. Descending M/FT and Zone/Outlet Jkt Markings ; Spool or SCP Tangle-Free Reelx II Box		UL CM CL2/3; EN50575 CPR Compliant; IEC 60332-1-2; IEC 60754-1,2; IEC 61034-1,2; IEC 61156; RoHS		Touch panels, keypads, tuner, audio processors and other control applications. Compatible with Crestron® control systems.		
SCP Part Number	Construction	Nom. OD	Jacket	Installation Rated	Packaged Length	Weight
CREST-1-D	2C/18AWG BC Str w/Ground + 2C/22AWG BC Str Twisted Pair, Shielded	6.3mm	PVC - Teal w/Yellow Stripe	UL CM, Dca-s3,d2,a3	305m/1000ft Spool	18kgs/40lbs
CREST-1-LSZH-TL	2C/18AWG BC Str w/Ground + 2C/22AWG BC Str Twisted Pair, Shielded	6.3mm	LSZH - Teal w/Yellow Stripe	Dca-s2,d1,a3	305m/1000ft Spool	19kgs/42lbs

KNX Recognized Control Cables

Features		Compliance		Applications		
KNX Recognized. Low Smoke Zero Halogen (LSZH), Descending Meter and Zone/Outlet Jkt Markings.		EN50575 CPR Compliant; IEC 60332-1-2; IEC 60754-1,2; IEC 61034-1,2; IEC 61156; RoHS		KNX/EIB Field Bus Cable. Control for Lighting, HVAC and Security.		
SCP Part Number	Construction	Nom. OD	Jacket	Installation Rated	Packaged Length	Weight
EIB-BUS-2X2-LSZH	(2) Pair 20AWG (0.8mm) SOL BC w/Drain, Shielded	6.3mm	LSZH - Green	Dca-s1,d1,a1	305m/1000ft Spool	18.5kgs/41lbs

Universal Control Cables

Features		Compliance		Applications		
SCP's Universal Control Cables are ideal cable solution for Control4, AMX, and other control systems. Made to exacting specifications. CPR Compliant, UL Listed. Descending M/FT and Zone/Outlet Jkt Markings		UL CM CL2/3; EN50575 CPR Compliant; IEC 60332-1-2; IEC 60754-1,2; IEC 61034-1,2; IEC 61156; RoHS		Touch panels, keypads, tuner, audio processors and other control applications.		
SCP Part Number	Construction	Nom. OD	Jacket	Installation Rated	Packaged Length	Weight
CTRL-1-D	2C/18AWG BC Str w/Ground + 2C/22AWG BC Str Twisted Pair, Shielded	6.8mm	PVC - Yellow w/Red Stripe	UL CM, Dca-s2,d1,a3	305m/1000ft Spool	18.4kgs/40.5lbs
CTRL-1-LSZH	2C/18AWG BC Str w/Ground + 2C/22AWG BC Str Twisted Pair, Shielded	6.8mm	PVC - Yellow w/Red Stripe	Dca-s1,d1,a1	305m/1000ft Spool	18.4kgs/40.5lbs
CTRL-2-D	2C/16AWG BC Str w/Ground + 2C/22AWG BC Str Twisted Pair, Shielded	7.0mm	PVC - Yellow	UL CM, Dca-s3,d2,a3	152m/500ft Spool	10.1kgs/22lbs
CTRL-2-LSZH	2C/16AWG BC Str w/Ground + 2C/22AWG BC Str Twisted Pair, Shielded	7.0mm	LSZH - Yellow	Dca-s2,d1,a3	152m/500ft Spool	10.3kgs/23lbs

*Lutron®, Crestron® and other trade names listed are registered trademarks of their respective entities. Structured Cable Products Inc. is not affiliated and disclaims the proprietary interest in the marks and names of others.



Coaxial Cables



Structured Cable Products ("SCP"), Fort Lauderdale, USA, is a leading manufacturer and global supplier of low voltage cables and connectivity accessories. SCP cables provide the highest quality, performance and value on the market today. SCP offers a wide variety of cables and accessories to accommodate most commercial/residential installations. This Line Card contains our standard stock items for Coaxial cables available at our EU warehouse (The Netherlands). We have many other bulk cables that may be available through our USA warehouses, Custom Order, or through our Factory Direct Program. All of the cables on this line card are CPR rated and many are UL Listed.

Coaxial Cables						
Type 100 Dual Copper Screen Coax						
Features		Compliance		Applications		
Premium 75 Ohm Type 100. Comparable to WF-100 construction. Solid Bare Copper Conductor with Dual Copper Shields (Foil & Braid). CPR rated Eca. Descending M/FT and Zone/Outlet jacket markings.		BS/EN50117, IEC 62821, EN50575 CPR Compliant; IEC 60332-1-2; RoHS		TV aerial and satellite installations.		
SCP Part Number	Construction	Nom. OD	Jacket	Installation Rated	Packaged Length	Weight
SCP100-LSZH	18AWG SOL BC FPE, Dual Shield CU Foil/ CU Braid	6.6mm	LSZH - Black	Eca	250m/820ft Spool	14kgs/31lbs
RG6/U Dual Screen Coax						
Features		Compliance		Applications		
Premium 75 Ohm 3.0GHz Tested Dual Shield Coax, Solid Bare Copper Conductor, UL Listed, Descending M/FT and Zone/Outlet Jkt Markings		UL CM CL2/3; EN50575 CPR Compliant; RoHS		Audio/Video, CATV, CCTV transmission.		
SCP Part Number	Construction	Nom. OD	Jacket	Installation Rated	Packaged Length	Weight
RG6/U-BC-BK	18AWG SOL BC FPE, Bonded CU Foil, 60% AL Braid	6.8mm	PVC - Black	UL CM, Eca	305m/1000ft Spool	14kgs/31lbs
RG6/U Quad Shield Coax						
Features		Compliance		Applications		
Premium 75 Ohm 3.0GHz Tested Quad (4) Shield Coax, UL Listed, Descending M/FT and Zone/Outlet Jkt Markings.		UL CM; EN50575 CPR Compliant; RoHS		Audio/Video, CATV, SATV, Antenna		
SCP Part Number	Construction	Packaged Length	Nom. OD	Jacket / Color	CPR Rating	Installation Rated
RG6/U Quad Shield Coax - Solid Bare Copper (BC):						
RG6/UQ-BC-BK	18AWG SOL BC FPE, Bonded AL Foil + AL Braid 60% + AL Foil + AL Braid 40%	7.2mm	PVC - Black	UL CM, Eca	305m/1000ft Box	15.5kgs/34lbs
RG6/UQ-BC-BK-5	18AWG SOL BC FPE, Bonded AL Foil + AL Braid 60% + AL Foil + AL Braid 40%	7.2mm	PVC - Black	UL CM, Eca	152m/500ft Box	8kgs/17.6lbs
RG6/UQ-BC-WT	18AWG SOL BC FPE, Bonded AL Foil + AL Braid 60% + AL Foil + AL Braid 40%	7.2mm	PVC - White	UL CM, Eca	305m/1000ft Box	15.5kgs/34lbs
RG6/U Quad Shield Coax - Copper Clad Steel (CCS):						
RG6/UQ-CCS-BK	18AWG CCS FPE, Bonded AL Foil + AL Braid 60% + AL Foil + AL Braid 40%	7.2mm	PVC - Black	UL CM, Eca	305m/1000ft Box	15kgs/33lbs



Audio Cables



Structured Cable Products ("SCP"), Fort Lauderdale, USA, is a leading manufacturer and global supplier of low voltage cables and connectivity accessories. SCP cables provide the highest quality, performance and value on the market today. SCP offers a wide variety of cables and accessories to accommodate most commercial/residential installations. This Line Card contains our standard stock items for Audio cables available at our EU warehouse (The Netherlands). We have many other bulk cables that may be available through our USA warehouses, Custom Order, or through our Factory Direct Program. All of the cables on this line card are CPR rated and many are UL Listed.

Audio Cables						
Features		Compliance		Applications		
Balanced line level audio and control. Superior signal-to-noise ratio. Flexible and Round construction with HD Low Smoke Zero Halogen (LSZH) jacket. CPR Compliant. Descending M/FT and Zone/Outlet Jkt Markings. SCP Tangle-Free Reelex II Box.		EN50575 CPR Compliant; IEC 60332-1-2; IEC 60754-1,2; IEC 61034-1,2; IEC 61156; RoHS		High performing audio and control distribution. Permanent or Semi-Permanent Installations. Microphone/Intercom Distribution; Security and Power-Limited Control Circuits		
SCP Part Number	Construction	Nom. OD	Jacket	Installation Rated	Packaged Length	Weight
22/2ESH-LSZH	2C/22AWG BC Str Twisted Pair w/Drain, Shielded	4.3mm	HD LSZH - Gray	Dca-s2,d2,a1	305m/1000ft Box	8.7kgs/19lbs
22/4EPSH-LSZH	(2) Pair 22AWG BC Str Twisted Pair w/Drain, Ea Pair Shielded	6.3mm	HD LSZH - Gray	Dca-s3,d2,a3	305m/1000ft Box	18.5kgs/41lbs



Speaker Cables



Structured Cable Products ("SCP"), Fort Lauderdale, USA, is a leading manufacturer and global supplier of low voltage cables and connectivity accessories. SCP speaker cables provide the highest quality, performance and value on the market today. SCP offers a wide variety of speaker cable solutions to accommodate almost any installation need. Our speaker cables come in a variety of CPR jacket ratings, jacket colors, and packaging options. Most of our speaker cables come in our award winning "tangle free" boxes.

Commercial Speaker Cable Series - B2ca EuroClass

Rated for Use in Public and Commercial Buildings.

Features			Compliance		Applications		
High Strand Count Oxygen Free Copper; Unshielded; LSZH Insulated Twisted Pair; B2ca Rated LSZH Jacket; Easy Strip Jacket; Excellent Flexibility; Packaging - Reel-In-Box or Wooden Spool; Descending Meter and Zone/Outlet Jacket Markings.			EN50575 B2ca-s1a,d1,a1; IEC 60332-1-2; IEC 60754-1,2; IEC 61034-1,2; EN50399; RoHS		Commercial, Institutional, Residential; 100v Loudspeakers; High Definition; Home Theater Systems, In-Wall Speakers; Class 2/3 Low Voltage Power; 4.0mm ² Indoor/Outdoor Rated UV Sun Resistant.		
SCP Part Number	Cores	Conductor Size	Nom. OD	Jacket	Installation Rated	Packaged Length	Weight
SP-1.5/2-LSZH-BK-B2	2	1.5mm ² (30*0.25)	5.8mm	LSZH - Black	B2ca-s1a,d1,a1	305m/1000ft Spool	16.9kgs/37lbs
SP-1.5/2-LSZH-WT	2	1.5mm ² (30*0.25)	5.8mm	LSZH - White	B2ca-s1a,d1,a1	305m/1000ft Spool	16.9kgs/37lbs
SP-2.5/2-LSZH-BK-B2	2	2.5mm ² (50*0.25)	6.8mm	LSZH - Black	B2ca-s1a,d1,a1	305m/1000ft Spool	24.5kgs/54lbs
SP-2.5/2-LSZH-BK-500	2	2.5mm ² (50*0.25)	6.8mm	LSZH - Black	B2ca-s1a,d1,a1	152m/500ft Reel in Box	13.6kgs/30lbs
SP-2.5/2-LSZH-WT-500	2	2.5mm ² (50*0.25)	6.8mm	LSZH - White	B2ca-s1a,d1,a1	152m/500ft Reel in Box	13.6kgs/30lbs
SP-2.5/4-LSZH-BK	4	2.5mm ² (50*0.25)	8.0mm	LSZH - Black	B2ca-s1a,d1,a1	152m/500ft Reel in Box	23.2kgs/51lbs
SP-2.5/4-LSZH-WT	4	2.5mm ² (50*0.25)	8.0mm	LSZH - White	B2ca-s1a,d1,a1	152m/500ft Reel in Box	23.2kgs/51lbs
SP-4.0/2-LSZH-BK-100M	2	4.0mm ² (56*0.30)	8.5mm	UV LSZH - Black	B2ca-s1a,d1,a1	100m/328ft Reel in Box	13.6kgs/30lbs
SP-4.0/2-LSZH-WT-100M	2	4.0mm ² (56*0.30)	8.5mm	UV LSZH - White	B2ca-s1a,d1,a1	100m/328ft Reel in Box	13.6kgs/30lbs
SP-4.0/2-LSZH-BK-500M	2	4.0mm ² (56*0.30)	8.5mm	UV LSZH - Black	B2ca-s1a,d1,a1	500m/1640ft Spool	64.2kgs/142lbs
SP-4.0/4-LSZH-BK-100M	4	4.0mm ² (56*0.30)	10.0mm	UV LSZH - Black	B2ca-s1a,d1,a1	100m/328ft Spool	23.8kgs/52lbs
SP-4.0/4-LSZH-BK-500M	4	4.0mm ² (56*0.30)	10.0mm	UV LSZH - Black	B2ca-s1a,d1,a1	500m/1640ft Spool	112kgs/247lbs

Low Smoke Zero Halogen Commercial/Residential Series

High Strand Count Oxygen Free Copper Speaker Cable - Flexible Indoor Rated LSZH Jacket.

Features			Compliance		Applications		
Low Smoke Zero Halogen (LSZH) High Strand Count Oxygen Free Copper; Unshielded; Insulated twisted pair; Easy Strip LSZH Jacket; SCP Tangle Free Reel/In Box; Descending Meter and SCP Zone/Outlet Jacket Markings.			EN50575 Dca-s1,d1,a1; IEC 60332-1-2; RoHS		Commercial & Residential; High Definition; Home Theater Systems, In-Wall Speakers; Class 2/3 Low Voltage Power.		
SCP Part Number	Cores	Conductor Size	Nom. OD	Jacket	Installation Rated	Packaged Length	Weight
16/20FC-LSZH-BK-D	2	16AWG (65)	5.0mm	LSZH - Black	Dca-s1,d1,a1	152m/500ft Pull Box	6.8kgs/15lbs
16/20FC-LSZH-PUR-D	2	16AWG (65)	5.0mm	LSZH - Purple	Dca-s1,d1,a1	152m/500ft Pull Box	6.8kgs/15lbs
16/20FC-LSZH-WT	2	16AWG (65)	5.0mm	LSZH - White	Dca-s1,d1,a1	152m/500ft Pull Box	6.8kgs/15lbs
16/20FC-LSZH-BK-1000-D	2	16AWG (65)	5.0mm	LSZH - Black	Dca-s1,d1,a1	305m/1000ft Pull Box	13.6kgs/30lbs
16/20FC-LSZH-WT-1000	2	16AWG (65)	5.0mm	LSZH - White	Dca-s1,d1,a1	305m/1000ft Pull Box	13.6kgs/30lbs
H-16/20FC-LSZH-OR-1000	2	16AWG (65)	6.25mm	HD-LSZH - Orange	Dca-s1,d1,a1	305m/1000ft Pull Box	16.3kgs/36lbs
16/40FC-LSZH-BK-D	4	16AWG (65)	6.1mm	LSZH - Black	Dca-s1,d1,a1	152m/500ft Pull Box	11.8kgs/26lbs
16/40FC-LSZH-PUR-D	4	16AWG (65)	6.1mm	LSZH - Purple	Dca-s1,d1,a1	152m/500ft Pull Box	11.8kgs/26lbs
16/40FC-LSZH-WT	4	16AWG (65)	6.1mm	LSZH - White	Dca-s1,d1,a1	152m/500ft Pull Box	11.8kgs/26lbs
H-16/40FC-LSZH-OR	4	16AWG (65)	7.0mm	HD-LSZH - Orange	Dca-s1,d1,a1	152m/500ft Pull Box	13.5kgs/30lbs
14/20FC-LSZH-BK-D	2	14AWG (105)	6.3mm	LSZH - Black	Dca-s1,d1,a1	152m/500ft Pull Box	11.2kgs/25lbs
14/20FC-LSZH-PUR	2	14AWG (105)	6.3mm	LSZH - Purple	Dca-s1,d1,a1	152m/500ft Pull Box	11.2kgs/25lbs
14/20FC-LSZH-WT	2	14AWG (105)	6.3mm	LSZH - White	Dca-s1,d1,a1	152m/500ft Pull Box	11.2kgs/25lbs
14/40FC-LSZH-BK-D	4	14AWG (105)	8.0mm	LSZH - Black	Dca-s1,d1,a1	152m/500ft Reel in Box	22.5kgs/50lbs
14/40FC-LSZH-PUR	4	14AWG (105)	8.0mm	LSZH - Purple	Dca-s1,d1,a1	152m/500ft Reel in Box	22.5kgs/50lbs
14/40FC-LSZH-WT	4	14AWG (105)	8.0mm	LSZH - White	Dca-s1,d1,a1	152m/500ft Reel in Box	22.5kgs/50lbs
12/20FC-LSZH-BK-D	2	12AWG (65)	8.0mm	LSZH - Black	Dca-s1,d1,a1	152m/500ft Reel in Box	17kgs/37lbs
12/20FC-LSZH-WT	2	12AWG (65)	8.0mm	LSZH - White	Dca-s1,d1,a1	152m/500ft Reel in Box	17kgs/37lbs
12/40FC-LSZH-BK-D	4	12AWG (65)	9.4mm	LSZH - Black	Dca-s1,d1,a1	152m/500ft Spool	30kgs/66lbs
12/40FC-LSZH-WT-D	4	12AWG (65)	9.4mm	LSZH - White	Dca-s1,d1,a1	152m/500ft Spool	30kgs/66lbs

Pro Grade Indoor/Outdoor HD Series - Commercial and Residential

One Cable Solution for both In-Wall and Outdoor Installations Providing Superior Performance, Flexibility and Protection.

Features			Compliance		Applications		
High Strand Count Oxygen Free Copper; Unshielded; Insulated twisted pair; CPR Rated Dca; HD UV Sun Resistant Jacket; Easy Strip Round Rope Lay Construction; SCP Tangle Free Reel II Box; Descending Meter and SCP Zone/Outlet Jacket Markings.			EN50575 Euroclass: Dca-s3,d2,a3; UL CMR CL2R/CL3R c(UL) FT4; RoHS; 300V, 75C; UL 444		Commercial & Residential; High Definition; Home Theater Systems, In-Wall Speakers; Class 2/3 Low Voltage Power; UL Direct Burial; Outdoor: UV Sun Resistant; Indoor: In-Wall Riser Rated		
SCP Part Number	Cores	Conductor Size	Nom. OD	Jacket	Installation Rated	Packaged Length	Weight
16/20FC-HD-BK-D	2	16AWG (65)	6.25mm	UV HD-PVC - Black	Dca / UL CMR/CL3R	152m/500ft Pull Box	8.3kgs/18lbs
16/20FC-HD-PUR-D	2	16AWG (65)	6.25mm	UV HD-PVC - Purple	Dca / UL CMR/CL3R	152m/500ft Pull Box	8.3kgs/18lbs
16/20FC-HD-WT-D	2	16AWG (65)	6.25mm	UV HD-PVC - White	Dca / UL CMR/CL3R	152m/500ft Pull Box	8.3kgs/18lbs
H-16/20FC-OR-1000-D	2	16AWG (65)	6.25mm	HD-PVC - Orange	Dca / UL CMR/CL3R	305m/1000ft Pull Box	16.3kgs/36lbs
16/40FC-HD-BK-D	4	16AWG (65)	7.0mm	UV HD-PVC - Black	Dca / UL CMR/CL3R	152m/500ft Pull Box	11.8kgs/26lbs
16/40FC-HD-PUR-D	4	16AWG (65)	7.0mm	UV HD-PVC - White	Dca / UL CMR/CL3R	152m/500ft Pull Box	11.8kgs/26lbs
16/40FC-HD-WT-D	4	16AWG (65)	7.0mm	UV HD-PVC - White	Dca / UL CMR/CL3R	152m/500ft Pull Box	11.8kgs/26lbs
14/20FC-HD-BK-D	2	14AWG (105)	7.2mm	UV HD-PVC - Black	Dca / UL CL3R	152m/500ft Pull Box	12kgs/26.5lbs
14/20FC-HD-PUR-D	2	14AWG (105)	7.2mm	UV HD-PVC - Purple	Dca / UL CL3R	152m/500ft Pull Box	12kgs/26.5lbs
14/20FC-HD-WT-D	2	14AWG (105)	7.2mm	UV HD-PVC - White	Dca / UL CL3R	152m/500ft Pull Box	12kgs/26.5lbs
14/40FC-HD-BK-D	4	14AWG (105)	8.3mm	UV HD-PVC - Black	Dca / UL CL3R	152m/500ft Reel in Box	22.5kgs/50lbs
14/40FC-HD-WT-D	4	14AWG (105)	8.3mm	UV HD-PVC - White	Dca / UL CL3R	152m/500ft Reel in Box	22.5kgs/50lbs
12/20FC-HD-BK-D	2	12AWG (65)	8.3mm	UV HD-PVC - Black	Dca / UL CL3R	152m/500ft Reel in Box	17kgs/37.5lbs
12/20FC-HD-WT-D	2	12AWG (65)	8.3mm	UV HD-PVC - White	Dca / UL CL3R	152m/500ft Reel in Box	17kgs/37.5lbs
12/40FC-HD-WT-D	4	12AWG (65)	9.8mm	UV HD-PVC - White	Dca / UL CL3R	152m/500ft Spool	30kgs/66lbs

In-Wall Residential Series

High Strand Count Oxygen Free Copper Speaker Cable with Smaller Cable OD for Easy Installation When Bundling through Conduit.

Features			Compliance		Applications		
High Strand Count Oxygen Free Copper; Unshielded; Insulated twisted pair; Smaller Cable OD; Flexible Easy Strip PVC Jacket; SCP Tangle Free Reel II Box Packaging; Descending Meter and SCP Zone/Outlet Jacket Markings.			EN50575 Euroclass: Dca-s3,d2,a3; UL CMR CL2R/CL3R c(UL) FT4; RoHS; 300V, 75C; UL 444		Commercial & Residential; High Definition; Home Theater Systems, In-Wall Speakers; Ideal for Conduit/Tube Installs; Class 2/3 Low Voltage Power; Indoor: In-Wall Riser Rated.		
SCP Part Number	Cores	Conductor Size	Nom. OD	Jacket	Installation Rated	Packaged Length	Weight
16/20FC-WT-D	2	16AWG (65)	5.0mm	PVC - White	Dca / UL CMR/CL3R	152m/500ft Pull Box	6.7kgs/15lbs
16/40FC-WT-D	4	16AWG (65)	6.1mm	PVC - White	Dca / UL CMR/CL3R	152m/500ft Pull Box	11.8kgs/26lbs
14/20FC-WT-D	2	14AWG (105)	6.3mm	PVC - White	Dca / UL CL3R	152m/500ft Pull Box	11kgs/24lbs
14/40FC-WT-D	4	14AWG (105)	8.0mm	PVC - White	Dca / UL CL3R	152m/500ft Pull Box	22kgs/49lbs

Contractor Economical Series

High Strand Count Oxygen Free Copper Speaker Cable with Smaller Cable OD for Easy Installation When Bundling through Conduit.

Features			Compliance		Applications		
Oxygen Free Copper; Unshielded; Insulated twisted pair; Easy Strip PVC Jacket; SCP Tangle Free Reel II Box; Descending Meter and SCP Zone/Outlet Jacket Markings.			EN50575 EuroClass: Eca; UL CMR CL2R/CL3R c(UL) FT4; RoHS; 300V, 75C; UL 444		Commercial & Residential; High Definition; Home Theater Systems, In-Wall Speakers; Class 2/3 Low Voltage Power.		
SCP Part Number	Cores	Conductor Size	Nom. OD	Jacket	Installation Rated	Packaged Length	Weight
16/2SP-26-WT	2	16AWG (26)	5.0mm	PVC - White	Eca / UL CMR/CL3R	152m/500ft Pull Box	6.7kgs/15lbs
16/4SP-26-WT	4	16AWG (26)	6.1mm	PVC - White	Eca / UL CMR/CL3R	152m/500ft Pull Box	6.7kgs/15lbs

Landscape / Direct Burial Professional Series

Professionals Choice for All High Performance Landscape and Outdoor Speaker Systems. Retains Flexibility in All Outdoor Environments. Recommended by Leading Speaker Brands.

Features			Compliance		Applications		
High Strand Count Oxygen Free Copper; Unshielded; Insulated twisted pair; LLDPE Jacket; Waterproof; Gel Filled; Superior Durability and Longevity; Rodent Resistant; UV Sun Resistant; Descending Meter Markings.			UL 444, NEC CL3, RoHS		Professional Outdoor Speaker Systems; Direct Burial Waterproof; Audio/Security/Control; Class 2/3 Low Voltage Power; Installs in Wet Environments; Commercial/Residential/Institutional.		
SCP Part Number	Cores	Conductor Size	Nom. OD	Jacket	Installation Rated	Packaged Length	Weight
14/2SP-DB-100	2	14AWG (105)	6.4mm	LLDPE - Black	Direct Burial/Outdoor	100m/328ft Spool	7.7kgs/17lbs
14/2SP-DB-500	2	14AWG (105)	6.4mm	LLDPE - Black	Direct Burial/Outdoor	152m/500ft Spool	11.7kgs/26lbs
14/4SP-DB-100	4	14AWG (105)	8.2mm	LLDPE - Black	Direct Burial/Outdoor	100m/328ft Spool	14kgs/31lbs
14/4SP-DB-GEL-500	4	14AWG (105)	8.2mm	LLDPE - Black	Direct Burial/Outdoor	152m/500ft Spool	21kgs/46lbs



Simply45®

Simply45® is the leading brand for RJ45 modular plug innovation and performance solutions. Our RJ45 solutions are so innovative that we have patents filed on many of our product features. Simply45® provides solutions for both Pass-Through RJ45 Modular Plugs and Standard WE/SS (8P8C) RJ45 Modular Plugs. Simply45® understands the importance that both LAN cables and RJ45 modular plugs must work together at the highest levels to support the performance requirements for today's applications.



Simply45® RJ45 Termination System

Features		Compliance
Best RJ45 termination system on the market. Improves termination performance for both Pass-Through and Standard 8P8C RJ45. Patented and leading industry award winner. Commercial Rated for up to B2ca EuroClass. PoE/PoH full support.		ANSI/TIA 568.2-D, ISO/IEC 11801; TIA 1096A; UL94 V0; PoE IEEE 802.3bt; HDBaseT Recommended; RoHS
Simply45 Patented ProSeries Pass-Through RJ45 Connectors		
Patented. Only certifiable Pass-Through solution on the market. Exclusively featuring Cap45® and BarS45™. Recommended for all installations. Commercial/Plenum/B2ca rated.		
SCP Part Number	Description	Packaging
S45-1755P	ProSeries Shielded Pass-Through Yellow Tint, Hi/Lo Stagger - Cat7a/7/6a/6 STP, Cap45™ & Bar45™	50pc Plastic Jar
S45-1750P	ProSeries Shielded Pass-Through Red Tint, Hi/Lo Stagger - Cat6/6a STP with Cap45® & Bar45®	50pc Plastic Jar
S45-1700P	ProSeries Unshielded Pass-Through Red Tint, Hi/Lo Stagger - Cat6/6a UTP with Cap45®	100pc Plastic Jar
S45-PSK10G	ProSeries Shielded Pass-Through 10G Starter Kit, 1ea (S45-1755P, S45-C101, S45-801, S45-S01YL & S45-B003)	1kit/Box
S45-PSK6U	ProSeries Unshielded Pass-Through Cat6/6a UTP Starter Kit, 1ea (S45-1700P, S45-C101, S45-801, S45-S01YL & S45-B002)	1kit/Box
Simply45 Patented Pass-Through RJ45 Connectors		
SCP Part Number	Description	Packaging
S45-1700	Unshielded Pass-Through Red Tint, Hi/Lo Stagger - Cat6/6a UTP	100pc Plastic Jar
S45-1600	Unshielded Pass-Through Green Tint - Cat6 UTP	100pc Plastic Jar
S45-1601	Unshielded Pass-Through Green Tint - Cat6 UTP	50pc Clamshell
S45-1500	Unshielded Pass-Through Blue Tint - Cat5e UTP	100pc Plastic Jar
S45-1501	Unshielded Pass-Through Blue Tint - Cat5e UTP	50pc Clamshell
S45-1550	Shielded Pass-Through (Internal Ground) - Cat5e STP	50pc Jar
S45-PTK6U	Unshielded Pass-Through Cat6 UTP Starter Kit, 1ea (S45-1600, S45-C100, S45-801, S45-S01YL, S45-B002)	1kit/Box
Simply45 Standard Non-Pass-Through RJ45 Connectors		
SCP Part Number	Description	Packaging
S45-1155	Standard Shielded Cat7a/7/6a RJ45 Modular Plugs (external ground), Orange Tint, Hi/Lo Stagger, Bar45®	50pc Plastic Jar
S45-1150	Standard Shielded Cat6 STP RJ45 Modular Plugs (external ground), Green Tint, Hi/Lo Stagger, Bar45®	50pc Plastic Jar
S45-1100	Standard Unshielded Cat6/6a UTP RJ45 Modular Plugs, Green Tint, Hi/Lo Stagger, Bar45®	100pc Plastic Jar
S45-1050	Standard Shielded Cat5e STP RJ45 Modular Plugs (internal ground), Blue Tint	50pc Plastic Jar
S45-1000	Standard Unshielded Cat5e UTP RJ45 Modular Plugs, Blue Tint	100pc Plastic Jar
Simply45 Strain Reliefs/Boots		
SCP Part Number	Description	Packaging
S45-B001	Integrated Snag-less Strain Reliefs for all S45 Brand CAT5E UTP & STP - Blue Tint	100pc / Bag
S45-B002	Integrated Snag-less Strain Reliefs for all S45 Brand Cat6/6a UTP - Clear	100pc / Bag
S45-B003	Strain Reliefs for all S45 Brand STP External Ground - Clear	100pc / Bag
Simply45 RJ45 Crimp Tools		
SCP Part Number	Description	Packaging
S45-C101	PRO Series Heavy Duty RJ45 Crimp Tool for all S45 brand UTP & STP RJ45 Modular Plugs	1ea Blister
S45-C100	Simply45 Pass-Through RJ45 Crimper for all S45 brand UTP & STP RJ45 Modular Plugs - 1Ea/Blister	1ea Blister
S45-C200	Universal (most brands) Standard RJ45 Crimp Tool - UTP RJ45 Mod Plugs	1ea Blister
S45-C250	Universal (most brands) Standard RJ45 Crimp Tool - Shielded RJ45 Mod Plugs	1ea Blister
S45-C190	Replacement Blades for Simply45 RJ45 Crimp Tools - 1set of 2 blades	1set Clam or Bag
Simply45 Tools - Other		
SCP Part Number	Description	Packaging
S45-S01BL	Adjustable Cat7a/6a/6/5e UTP/STP Cable Stripper - Blue	1ea Blister
S45-S01YL	Adjustable Cat7a/6a/6/5e UTP/STP Cable Stripper - Yellow	1ea Blister
S45-801	5" Premium Flush Cutter Tool up to 18AWG	1ea Blister



Connectors and Adapters



Connectors and Adapters for your Networking, Audio/Video, and CCTV needs including: 10G Terminations, RJ45 Plugs & Couplers, BNC-Connectors, F-Type-Connectors, RCA-Connectors, Adapters and more.

RJ45 Field Plugs		
Features	Compliance	
SCP developed RJ45 Field Plug. First 1-Piece Field Plug. Improves Channel Link Performance. Tool-less. Easy to Use. PoE/PoH full support.	10GBase-T, ANSI/TIA 568.2-D, ISO/IEC 11801 Class Ea; TIA 1096A; PoE: IEEE 802.3bt; UL Rated, RoHS	
SCP Part Number	Description	Packaging
10G-FPS	Slim Style Tool-less ProGrade 10GBaseT Shielded RJ45 Field Plug, 1pc Design + Load Bar. For Cat7a/6a/6 22-26 AWG	1ea/Bag/10pc MP
10G-FP	Tool-less ProGrade 10GBaseT Shielded RJ45 Field Plug, 1pc Design + Load Bar. For Cat7a/6a/6 22-26 AWG	1ea/Bag/10pc MP
10G-FP-U	Tool-less Unshielded 10GBaseT Shielded RJ45 Field Plug, 1pc Design + Load Bar. For Cat7a/6a/6 22-26 AWG	1ea/Bag/10pc MP

RJ45 Standard 8P8C Mod Plugs		
Features	Compliance	
Economical 8P8C RJ45.	10GBase-T, ANSI/TIA 568.2-D, ISO/IEC 11801; TIA 1096A; PoE: IEEE 802.3bt; RoHS	
SCP Part Number	Description	Packaging
106A	Economical 10GBaseT Shielded Standard 8P8C RJ45 Modular Plugs - For Cat6a STP & Cat6 STP Cables, 23 AWG Solid 1.2mm w/Load Bar ANSI/TIA 568-2.D, ISO/IEC 11801 Class Ea	100ea/Bag
106	Economical Cat6 Unshielded Standard 8P8C RJ45 Modular Plug, 23AWG Solid Cable, w/Load Bar, ANSI/TIA 569.2-D, ISO/IEC 11801 Class E	100ea/Bag

Coax Compression Connectors		
Features	Compliance	
SCP developed RJ45 Field Plug. First 1-Piece Field Plug. Improves Channel Link Performance. Tool-less. Easy to Use. PoE/PoH full support.	10GBase-T, ANSI/TIA 568.2-D, ISO/IEC 11801 Class Ea; TIA 1096A; PoE: IEEE 802.3bt; UL Rated, RoHS	
SCP Part Number	Description	Packaging
908	F-Type Compression Connector for RG6/U Quad Shield	50ea/Bag
909	F-Type Compression Connector for RG6/U	50ea/Bag
920-59	Gold Plated RCA Compression Connector for RG59/U	10ea/Bag
920-59-N	Nickel Plated RCA Compression Connector for RG59/U	10ea/Bag

Private Label - Custom Orders - OEM Manufacturing

SCP is a manufacturer and product developer. SCP is an industry leader in cable and connectivity development. Are you interested in private label or OEM services for bulk cables or connectivity solutions? Private Label can differentiate your brand from the competition and improve customer retention. Let us know what your needs are to see if Private Label or OEM services is a better solution for you.



To discuss your Private Label, Custom Order, or OEM requirements please contact us today.

Phone: +1-954-327-5770 Email: sales@scpcat5e.com



Keystone Solutions - Copper and Fiber



Keystone modules and panels are the easiest way to manage and change your network connectivity. SCP has developed a full line of Keystone modules and panels for both copper and fiber networking. All of our Keystone Jacks and Couplers fit into standard and high density keystone ports. Our Keystone Solutions are more cost effective and provide easy integration for all of your copper and fiber networking needs.

Keystone Jacks & Couplers - Copper and Fiber

Features		Compliance
Both Copper and Fiber solutions. Narrow design for easy side by side mounting with no wasted ports. Innovative tool-less jacks are fast, easy to use, and improves performance over IDC type panels. Easily integrate copper and fiber in the same patch panel or wall outlet.		ANSI/TIA 568.2-D, ISO/IEC 11801; TIA 1096A; UL94 V0; PoE IEEE 802.3bt; HDBaseT; RoHS
SCP Part Number	Description	Packaging
6-Color Keystone Jack Snap-on ID Bars:		
KJ-BARS	SCP Keystone Snap-On ID Bars - (6) Colors- Blue, Green, Orange, Purple, Red, Yellow - 1 Set of 6 bars	1 Set Ea/Bag
Shielded Tool-less Panel/Wallplate Mount Keystone Jack for Cat7a/6a/6 - 10GBaseT Rated:		
Shielded Tool-less Panel/Wallplate Mount Keystone Jack for Cat7a/6a/6 - 10GBaseT Rated:		
CAT6A-SH-JACK-WT	10GBaseT RJ45 Shielded Keystone Jack for Cat7a/6a/6 Shielded Cabling, Tool-less, Slim Design, Fully Shielded Zinc Alloy Shell	1ea Bag
Unshielded Tool-less Keystone Jacks Panel/Wallplate Mount:		
Color Code with SCP Snap-on ID Bars		
KJ180U-CAT6/6A-BK, WT	Tool-less Cat6/6A UTP 180° Keystone Jack, Slim Style, Unshielded, w/6 Color ID Bars, 10GBaseT Rated - Black, White	1ea Bag
KJ180U-C5E-BK, WT	Tool-less Cat5e UTP 180° Keystone Jack, Slim Style, Unshielded, w/6 Color ID Bars, 10GBaseT Rated - Black, White	1ea Bag
Shielded Keystone Couplers - Panel/Wallplate Mount - Slim Style:		
Color Code with SCP Snap-on ID Bars		
KCOU-10GSH	10GBaseT Shielded Keystone Coupler - In-line/Slim Style, Cat7a/6a STP - Zinc Housing	1ea/Bag/10pc MP
KCOU-6SH	Cat6 Shielded Keystone Coupler - In-line/Slim Style, Cat6 STP Class E - Zinc Housing	1ea/Bag/10pc MP
UnShielded Keystone Couplers - Panel/Wallplate Mount - Slim Style:		
Color Code with SCP Snap-on ID Bars		
KCOU-10GU-BK, WT	10GBaseT Unshielded Keystone Coupler - Cat6a UTP - Black, White	1ea/Bag/10pc MP
KCOU-6U-BK, WT	Cat6 Unshielded Keystone Coupler - Cat6 UTP - Black, White	1ea/Bag/10pc MP
KCOU-5EU-BK, WT	Cat5e Unshielded Keystone Coupler - Cat5e UTP - Black, White	1ea/Bag/10pc MP

Keystone Couplers - Fiber

Features		Compliance
SCP EasyFiber® Keystone Couplers. Narrow design ideal for all patch panels and wallplates. No wasted ports. Fits all standard Keystone Ports. Easily customize your panels to include copper and fiber connectivity.		
SCP Part Number	Description	Packaging
SCP-EasyFiber® Keystone Couplers - Panel/Wallplate Mount:		
F-KJ-MMLCLCD-BK, WT	Duplex LC to LC Multimode OM3/4 SCP-EasyFiber® Keystone Coupler, High Density Narrow Snap-In Design. Colors: Black, White	1ea/Bag
F-KJ-MMSCSC-BK, WT	Simplex SC to SC Multimode OM3/4 SCP-EasyFiber® Keystone Coupler, High Density Narrow Snap-In Design. Colors: Black, White	1ea/Bag
F-KJ-SMLCLCD-BK, WT	Duplex LC to LC Single-Mode OS2 SCP-EasyFiber® Keystone Coupler, High Density Narrow Snap-In Design. Colors: Black, White	1ea/Bag
F-KJ-SMSCSC-BK, WT	Simplex SC/APC to SC/APC Single-Mode OS2 SCP-EasyFiber® Keystone Coupler, High Density Narrow Snap-In Design. Colors: Black, White	1ea/Bag
F-KJ-SMSCASCA-BK, WT	Simplex SC to SC Single-Mode OS2 SCP-EasyFiber® Keystone Coupler, High Density Narrow Snap-In Design. Colors: Black, White	1ea/Bag

Keystone Jacks - RJ45 Ethernet 90° Style

SCP Part Number	Description	Packaging
UnShielded Cat6 Keystone - Wallplate Mount:		
CAT6-JACK-XX	Cat6 Unshielded 90° Keystone Jack, UL Listed. EU Stock Colors: Black, Green, Orange, White. Other colors available on request/special order	1ea/Bag
UnShielded Cat5e Keystone - Wallplate Mount:		
101-XX	Cat5e Unshielded 90° Keystone Jack, UL Listed. 10 Colors. Available in EU upon Request	1ea/Bag

Keystone Patch Panels

Features		Compliance
Premium Keystone Patch Panels are universal 1RU or 2RU rack fit and provide lifetime performance with our powder-coat finish over heavy-duty steel construction. Each panel is unloaded allowing you to easily customize your panels for copper and fiber connections with our Keystone jacks and couplers.		ANSI/TIA 568.2-D, ISO/IEC 11801; TIA 1096A; UL94 V0; PoE IEEE 802.3bt; HDBaseT; RoHS
SCP Part Number	Description	Packaging
324U-6ASH	24 Port Shielded Unloaded Keystone Patch Panel, 10G Rated, 1RU, Ground Wire, Premium Rear Cable Mgt Bracket	1ea/Box
324U	24 Port Unshielded Unloaded Keystone Patch Panel, 1RU, Premium Rear Cable Mgt Bracket	1ea/Box
348U	48 Port Unshielded Unloaded Keystone Patch Panel, 2RU, Premium Rear Cable Mgt Bracket	1ea/Box



Connectivity - Fiber



SCP is not just about providing products. We are about providing solutions. Instead of trying to be all things to all people, we have streamlined our fiber solutions to better support the needs of our distribution partners. Our fiber program primarily focuses on infrastructure cables and connectivity solutions that you need for LAN/Networking, AV & Digital Signage, Security, and Multi-Dwelling Units (MDUs). Our fiber solutions start where the Telecom/CATV provider service points end at the building exterior.

SCP-EasyFiber® Field Installable Mechanical Connectors

Features

SCP-EasyFiber® Field Installable Connectors are used to terminate optical fiber cable without all the fuss. Field Installable means that the termination can easily be done at the jobsite. For LAN, AV, MDU, FFTH/FFTD and most other applications, high quality mechanical connectors are usually the preferred choice by integrators as they have lower initial investment costs; and are faster/easier to terminate in the field. SCP-EasyFiber® Premium Connectors outperform most other Field Installable Connectors. These are professional level, premium performance connectors with very low terminated signal loss and reflection; comparable to fusion splice connections. These connectors provide fast terminations comparable to RJ45 termination time.

SCP Part Number	Description	Packaging
SCP-EasyFiber® Multimode Field Installable Mechanical Connectors - Prepolished		
EF-CON-MM-LC	Premium LC Simplex Multimode 50/125 OM3/OM4 Fast Connector for 250µm/900µm Distribution Cable, Aqua	1ea/Bag/10pc MP
EF-CON-MM-LCZ	Premium LC Simplex Multimode 50/125 OM3/OM4 Fast Connector for 2.0mm Duplex Zip Cable, Aqua	1ea/Bag/10pc MP
EF-CON-MM-SC	Premium SC Simplex Multimode 50/125 OM3/OM4 Fast Connector for 250µm/900µm Distribution & 2.0mm Duplex Zip Cable, Aqua	1ea/Bag/10pc MP
SCP-EasyFiber® Single Mode OS2 Field Installable Mechanical Connectors - Prepolished		
EF-CON-SM-LC	Premium LC Simplex Single Mode OS2 9/125 Fast Connector for 250µm/900µm Distribution Cable, Blue	1ea/Bag/10pc MP
EF-CON-SM-LCZ	Premium LC Simplex Single Mode OS2 9/125 Fast Connector for 2.0mm Duplex Zip Cable, Blue - 1ea/10 pack	1ea/Bag/10pc MP
EF-CON-SM-SC	Premium SC Simplex Single Mode OS2 9/125 Fast Connector for 250µm/900µm Distribution & 2.0mm Duplex Zip Cable, Blue	1ea/Bag/10pc MP
EF-CON-SM-SCA	Premium SC/APC Simplex Single Mode OS2 9/125 Fast Connector for 250µm/900µm Distribution & 2.0mm Duplex Zip Cable, Green	1ea/Bag/10pc MP

Keystone Couplers - Fiber

Refer to Keystone Solutions Product Line for more details.

Fiber Breakout Kits

SCP Part Number	Description	Packaging
F-BRKG-24	6 Strand - 24" Fiber Breakout Kit - 3mm Color Coded Tubing	1Kit/Bag
F-BRKG-40	6 Strand - 40" Fiber Breakout Kit - 3mm Color Coded Tubing	1Kit/Bag
F-BRK12-24	12 Strand - 24" Fiber Breakout Kit - 3mm Color Coded Tubing	1Kit/Bag
F-BRK12-40	12 Strand - 40" Fiber Breakout Kit - 3mm Color Coded Tubing	1Kit/Bag

SFP Transceiver Modules & Direct Attach Cables

SCP Part Number	Description	Packaging
SFP Gigabit Transceivers - Generic		
F-SFP1G-MM	SFP 1.25G SX 850nm 550m LC DOM Transceiver -- Multimode Fiber	1ea/Bag/10pc MP
F-SFP1G-SM	SFP 1.25G LX 1310nm 20km LC DOM Transceiver -- Single Mode Fiber	1ea/Bag/10pc MP
SFP+ 10G Gigabit Transceivers - Generic		
F-SFP10G-MM	SFP+ 10G SR 850nm 300m LC DOM Transceiver - Multimode Fiber	1ea/Bag/10pc MP
F-SFP10G-SM	SFP+ 10G LR 1310nm 10km LC DOM Transceiver - Single Mode Fiber	1ea/Bag/10pc MP
SFP+ 10G Direct Attach Passive Twinax Cables		
F-SFP10GDAC-1M	1m (3ft) Generic Compatible 10G SFP+ Passive Direct Attach Copper Twinax Cable 30AWG	1ea/Bag
F-SFP10GDAC-3M	3m (10ft) Generic Compatible 10G SFP+ Passive Direct Attach Copper Twinax Cable 30AWG	1ea/Bag
F-SFP10GDAC-7M	7m (23ft) Generic Compatible 10G SFP+ Passive Direct Attach Copper Twinax Cable 24AWG	1ea/Bag

LGX Style Adapter Plates

SCP Part Number	Description	Packaging
Blank - LGX Style Adapter Plates		
F-LGXP-Blank	Blank LGX Adapter Plate - Push Pin style mounting tabs	1ea/Bag
Multimode - LGX Style Adapter Plates - 10G OM3/OM4 Adapters, Zirconia Ceramic Split Sleeve, Push Pin style Mounting Tabs		
F-LGXP-MMLC6	6 LC Duplex Multimode Fiber LGX Adapter Plate - Aqua	1ea/Bag
F-LGXP-MMLC12	12 LC Duplex Multimode Fiber LGX Adapter Plate - Aqua	1ea/Bag
F-LGXP-MMSC6	6 SC Duplex Multimode Fiber LGX Adapter Plate - Aqua	1ea/Bag
F-LGXP-MMSC6SIM	6 SC Simplex Multimode Fiber LGX Adapter Plate - Aqua	1ea/Bag
Single Mode - LGX Style Adapter Plates - OS2 9/125 Adapters, Zirconia Ceramic Split Sleeve, Push Pin style Mounting Tabs		
F-LGXP-SMLC6	6 Duplex LC Single-Mode Fiber LGX Adapter Plate - Blue	1ea/Bag
F-LGXP-SMLC12	12 Duplex LC Single-Mode Fiber LGX Adapter Plate - Blue	1ea/Bag
F-LGXP-SMSC6	6 Duplex SC Single-Mode Fiber LGX Adapter Plate - Blue	1ea/Bag
F-LGXP-SMSC6SIM	6 Simplex SC Single-Mode Fiber LGX Adapter Plate - Blue	1ea/Bag
F-LGXP-SMSCA6	6 Duplex SC/APC Single-Mode Fiber LGX Adapter Plate - Green	1ea/Bag
F-LGXP-SMSCA6SIM	6 Simplex SC/APC Single-Mode Fiber LGX Adapter Plate - Green	1ea/Bag

Panel Mount Style Couplers - 13mm & 29mm		
SCP Part Number	Description	Packaging
13mm Panel Mount Couplers - Multimode OM4 - Polish Type		
F-13PMC-OM4LCLC	Duplex LC/LC Multimode Panel Mount Coupler 13mm Female/Female - Pink	1ea/Bag
F-13PMC-OM4SCSC	Simplex SC/SC Multimode Panel Mount Coupler 13mm Female/Female - Pink	1ea/Bag
13mm Panel Mount Couplers - Single Mode - UPC Polish Type		
F-13PMC-OS2LCLC	Duplex LC/LC Single-Mode Panel Mount Coupler 13mm Female/Female - Blue	1ea/Bag
F-13PMC-OS2LSCC	Simplex LC/SC Single-Mode Panel Mount Coupler 13mm Female/Female - Blue	1ea/Bag
F-13PMC-OS2SCSC	Simplex SC/SC Single-Mode Panel Mount Coupler 13mm Female/Female - Blue	1ea/Bag
F-13PMC-OS2SCLC-FM	Simplex SC(F)/LC(M) Single-Mode Panel Mount Coupler 13mm Female/Male - Blue	1ea/Bag
F-13PMC-OS2SCASCA	Simplex SC-APC/SC-APC Single-Mode Panel Mount Coupler 13mm Female/Female - Ceramic Sleeve, APC Polish Type - Green	1ea/Bag
29mm Panel Mount Couplers - OM4 Multimode and OS2 Single Mode - UPC Polish Type		
F-29PMC-OM4SCSC	Duplex SC/SC Multimode Panel Mount Coupler 29mm - Pink	1ea/Bag
F-29PMC-OS2SCSC	Duplex SC/SC Single-Mode Panel Mount Coupler 29mm - Blue	1ea/Bag
In-Line Style Fiber Couplers- Single Mode OS2 - UPC Polish Type		
F-ILCD-OS2LSCC-FM	Duplex LC(F)/SC(M) Single-Mode In-Line Style Coupler -Blue	1ea/Bag



SCP-EasyFiber® Patch Cables - Fiber



SCP exclusive Ultra-Bendable Fiber Patch Cables for both Multimode and Single Mode. Featuring Corning® ClearCurve® and SMF-28 Ultra® bend insensitive optical glass. Provides substantially less signal loss and superior installation performance than traditional fiber patch cables. Easier to Install.

Patch Cables - Optical Fiber - SCP-EasyFiber®				
Features		Compliance		
SCP exclusive Ultra-Bendable Fiber Patch Cables for both Multimode and Single Mode. Featuring Corning® ClearCurve® and SMF-28 Ultra® bend insensitive optical glass. Provides substantially less signal loss and superior installation performance than traditional fiber patch cables. Easier to Install.		10G Multimode OM4 50/125, Single Mode OS2 9/125, LSZH, EN50575 EuroClass: Dca-s1,d1,a1. IEC 60332-1-2, RoHS. Corning® Clearcurve® and Corning® SMF-28® Ultra. Indoor/Outdoor Rated UV Sun Res		
SCP Part Number	Length	Connector Ends	Jacket / Color	Packaging
Multimode OM4 - SCP-EasyFiber® - LSZH Dca-s1,d1,a1 Indoor/Outdoor Rated				
EFP-OM4LSZH-LCLC-1M	1m/3.3ft	LC/LC Duplex	LSZH In-Out/ Violet	1ea/Bag
EFP-OM4LSZH-LCLC-2M	2m/6.5ft	LC/LC Duplex	LSZH In-Out/ Violet	1ea/Bag
EFP-OM4LSZH-LCLC-3M	3m/10ft	LC/LC Duplex	LSZH In-Out/ Violet	1ea/Bag
EFP-OM4LSZH-LCLC-5M	5m/16.4ft	LC/LC Duplex	LSZH In-Out/ Violet	1ea/Bag
EFP-OM4LSZH-LCLC-7M	7m/23ft	LC/LC Duplex	LSZH In-Out/ Violet	1ea/Bag
EFP-OM4LSZH-LCLC-10M	10m/33ft	LC/LC Duplex	LSZH In-Out/ Violet	1ea/Bag
EFP-OM4LSZH-LCLC-15M	15m/49ft	LC/LC Duplex	LSZH In-Out/ Violet	1ea/Bag
EFP-OM4LSZH-LCLC-20M	20m/65ft	LC/LC Duplex	LSZH In-Out/ Violet	1ea/Bag
Single Mode OS2 - SCP-EasyFiber® - LSZH Dca-s1,d1,a1 Indoor/Outdoor Rated				
EFP-OS2LSZH-LCLC-1M	1m/3.3ft	LC/LC Duplex	LSZH In-Out/ Yellow	1ea/Bag
EFP-OS2LSZH-LCLC-2M	2m/6.5ft	LC/LC Duplex	LSZH In-Out/ Yellow	1ea/Bag
EFP-OS2LSZH-LCLC-3M	3m/10ft	LC/LC Duplex	LSZH In-Out/ Yellow	1ea/Bag
EFP-OS2LSZH-LCLC-5M	5m/16.4ft	LC/LC Duplex	LSZH In-Out/ Yellow	1ea/Bag
EFP-OS2LSZH-LCLC-7M	7m/23ft	LC/LC Duplex	LSZH In-Out/ Yellow	1ea/Bag
EFP-OS2LSZH-LCLC-10M	10m/33ft	LC/LC Duplex	LSZH In-Out/ Yellow	1ea/Bag
EFP-OS2LSZH-LCLC-15M	15m/49ft	LC/LC Duplex	LSZH In-Out/ Yellow	1ea/Bag
EFP-OS2LSZH-LCLC-20M	20m/65ft	LC/LC Duplex	LSZH In-Out/ Yellow	1ea/Bag
EFP-OS2LSZH-SIM-SCA-1M	1m/3.3ft	SC-APC Simplex	LSZH In-Out/ Yellow	1ea/Bag
EFP-OS2LSZH-SIM-SCA-2M	2m/6.5ft	SC-APC Simplex	LSZH In-Out/ Yellow	1ea/Bag
EFP-OS2LSZH-SIM-SCA-3M	3m/10ft	SC-APC Simplex	LSZH In-Out/ Yellow	1ea/Bag
EFP-OS2LSZH-SIM-SCA-5M	5m/16.4ft	SC-APC Simplex	LSZH In-Out/ Yellow	1ea/Bag
EFP-OS2LSZH-SIM-SCA-7M	7m/23ft	SC-APC Simplex	LSZH In-Out/ Yellow	1ea/Bag
EFP-OS2LSZH-SIM-SCA-10M	10m/33ft	SC-APC Simplex	LSZH In-Out/ Yellow	1ea/Bag
EFP-OS2LSZH-SIM-SCA-15M	15m/49ft	SC-APC Simplex	LSZH In-Out/ Yellow	1ea/Bag
EFP-OS2LSZH-SIM-SCA-20M	20m/65ft	SC-APC Simplex	LSZH In-Out/ Yellow	1ea/Bag



Patch Cables - Copper



SCP Pro Series High Speed Patch Cables are professionally designed to handle bandwidth intensive applications. Constructed with the highest quality materials, these patch cables provide superior networking performance.

Cat6a Shielded 10GBaseT Patch Cables

Features		Compliance		
Component Rated 10GBaseT Cat6a S/FTP Shielded Patch Cables. Molded/Snag-less Boot, LSZH Jkt. CAT6A 600MHz 10GBaseT Patch Cable - 4pr 26AWG Str BC, S/FTP, LSZH Jkt		Component Rated. ANSI/TIA 568.2-D, ISO/IEC 11801 Class Ea, IEC 60332-1-2		
SCP Part Number	Length	Jacket / Color	Packaging	
C6APC-LSZH-0.3M-BK	0.30m/1ft	LSZH - Black	1ea/Bag/10pc MP	
C6APC-LSZH-0.5M-BK	0.5m/1.6ft	LSZH - Black	1ea/Bag/10pc MP	
C6APC-LSZH-1M-BK	1m/3.3ft	LSZH - Black	1ea/Bag/10pc MP	
C6APC-LSZH-2M-BK	2m/6.5ft	LSZH - Black	1ea/Bag/10pc MP	
C6APC-LSZH-3M-BK	3m/10ft	LSZH - Black	1ea/Bag/10pc MP	
C6APC-LSZH-5M-BK	5m/16.5ft	LSZH - Black	1ea/Bag	
C6APC-LSZH-10M-BK	10m/33ft	LSZH - Black	1ea/Bag	

Cat6 Shielded Patch Cables

Features		Compliance		
Supports shielded Cat6 (Class E) networking applications. CAT6 Shielded 550MHz Patch Cable - 4pr 26AWG Str BC, F/UTP, PVC Jkt		ANSI/TIA 568.2-D, ISO/IEC 11801 Class E, IEC 60332-1-2; UL CM, RoHS		
SCP Part Number	Length	Jacket / Color	Packaging	
C6PCSH-0.3M-BK	0.30m/1ft	PVC - Black	1ea/Bag/10pc MP	
C6PCSH-0.5M-BK	0.5m/1.6ft	PVC - Black	1ea/Bag/10pc MP	
C6PCSH-1M-BK	1m/3.3ft	PVC - Black	1ea/Bag/10pc MP	
C6PCSH-2M-BK	2m/6.5ft	PVC - Black	1ea/Bag/10pc MP	
C6PCSH-3M-BK	3m/10ft	PVC - Black	1ea/Bag/10pc MP	
C6PCSH-5M-BK	5m/16.5ft	PVC - Black	1ea/Bag	
C6PCSH-10M-BK	10m/33ft	PVC - Black	1ea/Bag	
C6PCSH-15M-BK	15m/49ft	PVC - Black	1ea/Bag	
C6PCSH-25M-BK	25m/82ft	PVC - Black	1ea/Bag	

Cat6 Unshielded Patch Cables

Features		Compliance		
Supports Cat6 Class E Unshielded networking applications. Cat6 Unshielded 550MHz Patch Cable - 4PR 24AWG Str BC, PVC Jkt. Colors: Black, Blue, Gray		ANSI/TIA 568.2-D, ISO/IEC 11801 Class E, IEC 60332-1-2; UL CM, RoHS		
SCP Part Number	Length	Jacket / Color	Packaging	
C6PC-0.3M-XX	0.3m/1ft	PVC - Black, Blue, Gray	1ea/Bag/10pc MP	
C6PC-0.5M-XX	0.5m/1.6ft	PVC - Black, Blue, Gray	1ea/Bag/10pc MP	
C6PC-1M-XX	1m/3.3ft	PVC - Black, Blue, Gray	1ea/Bag/10pc MP	
C6PC-2M-XX	2m/6.5ft	PVC - Black, Blue, Gray	1ea/Bag/10pc MP	
C6PC-3M-XX	3m/10ft	PVC - Black, Blue, Gray	1ea/Bag/10pc MP	
C6PC-5M-BK	5m/16.5ft	PVC - Black	1ea/Bag	
C6PC-10M-BK	10m/33ft	PVC - Black	1ea/Bag	

Cat5e Unshielded Patch Cables

Features		Compliance		
Supports Cat5e Class D Unshielded networking applications. Cat5e Unshielded 350MHz Patch Cable - 4PR 24AWG Str BC, PVC Jkt		ANSI/TIA 568.2-D, ISO/IEC 11801 Class D, IEC 60332-1-2; UL CM, RoHS		
SCP Part Number	Length	Jacket / Color	Packaging	
C5PC-0.3M-BK	0.3m/1ft	PVC - Black	1ea/Bag/10pc MP	
C5PC-0.5M-BK	0.5m/1.6ft	PVC - Black	1ea/Bag/10pc MP	
C5PC-1M-BK	1m/3.3ft	PVC - Black	1ea/Bag/10pc MP	
C5PC-2M-BK	2m/6.5ft	PVC - Black	1ea/Bag/10pc MP	
C5PC-5M-BK	5m/16.5ft	PVC - Black	1ea/Bag	

Patch Panels & Enclosures - Copper & Fiber

SCP Patch Panels are UL and exceed ANSI/TIA 568.2-D standards for Cat5e and Cat6. SCP Patch Panels are 110 Type and available in 12, 24, and 48 port configurations.



Patch Panels - Copper

Features		Compliance
Loaded and Unloaded Rack and Wall Mounted Patch Panels, 19", 1RU and 2RU. Unloaded supports Keystone style Snap-In Modules. See Keystone Solutions Product Line for more information.		ANSI/TIA 568.2-D, ISO/IEC 11801; TIA 1096A; UL94 V0; PoE IEEE 802.3bt; HDBaseT; RoHS
SCP Part Number	Description	Packaging
PreLoaded Patch Panels:		
324-6ASH	24 Port Loaded Shielded 10GBaseT (Cat7a/6a/6 STP) Patch Panel, 1RU w/Rear Cable Mgt - Black	1ea/Box
348-6	48 Port Loaded Unshielded Cat6 Class E Loaded Patch Panel, 2RU w/Rear Cable Mgt- Black	1ea/Box
324-6	24 Port Loaded Unshielded Cat6 Class E Patch Panel, 1RU w/Rear Cable Mgt- Black	1ea/Box
312-6	12 Port Loaded Unshielded Cat6 Class E Patch Panel, Wall/Rack Mt. w/Bracket- Black	1ea/Box
348	48 Port Loaded Unshielded Cat5e Class D Patch Panel, 2RU w/Rear Cable Mgt- Black	1ea/Box
324	24 Port Loaded Unshielded Cat5e Class D Patch Panel, 1RU w/Rear Cable Mgt- Black	1ea/Box
312	12 Port Loaded Unshielded Cat5e Class D Patch Panel, Wall/Rack Mt. w/Bracket- Black	1ea/Box
Keystone Style Unloaded Patch Panels (See Keystone Solutions Product Line for More Detail):		
324U-6ASH	24 Port Shielded Keystone Style Unloaded, 10G Cat7a/6a/6/5e STP, 1RU w/Rear Cable Mgt- Black	1ea/Box
324U	24 Port Unshielded Keystone Style Unloaded Patch Panel, 1RU w/Rear Cable Mgt- Black	1ea/Box
348U	48 Port Unshielded Keystone Style Unloaded Patch Panel, 2RU w/Rear Cable Mgt- Black	1ea/Box
19" Hinged Wall Brackets for Patch Panels		
524	19" Hinged Wall Bracket for 24 Port Patch Panels, 1.75"H x 5.5"D, Metal - Black	1ea/Box
548	19" Hinged Wall Bracket for 48 Port Patch Panels, 3.5"H x 5.5"D, Metal - Black	1ea/Box
19" Cable Organizer Panel		
501	19" Cable Organizer Bracket, 5 Rings, 1.75"H - Metal- Black	1ea/Box
502	19" Cable Organizer Bracket, 5 Rings, 3.5"H - Metal- Black	1ea/Box

Patch Cables & Enclosures - Optical Fiber

SCP Part Number	Description	Packaging
LGX Style Rack and Wall Mount Enclosures		
Rack Mount Enclosures for LGX Style Adapter Plates Slide Out Wiring Tray, LGX-118 Compatible, Push-Pin Mounting Tabs - Black Metal		
F-ENCLGX-1RU3	1 RU - Rack Mount Fiber Enclosure- Unloaded- Holds 3 Fiber Adapter Panels	1ea/Box
F-ENCLGX-2RU6	2 RU - Rack Mount Fiber Enclosure- Unloaded - Holds 6 Fiber Adapter Panels	1ea/Box
Wall Mount (Indoor) Enclosures for LGX Style Adapter Plates LGX-118 Compatible, Push Pin Style Mounting Table, Plastic locking latch, Top Panel Punch Out, Steel- Black		
F-ENCLGX-W1	1 Module - Fiber Wall Mount Enclosure. Supports (1) Fiber Panel Module	1ea/Box
F-ENCLGX-W2	2 Module - Fiber Wall Mount Enclosure. Supports (2) Fiber Panel Modules	1ea/Box
F-ENCLGX-W4	4 Module - Fiber Wall Mount Enclosure. Supports (4) Fiber Panel Modules	1ea/Box
13mm Panel Coupler Style Rack Enclosures & Wall Boxes		
13mm Panel Coupler Style Rack Enclosures & Wall Boxes		
F-ENC13C-1RU	1 RU - Rack Mount Fiber Enclosure for 13mm Couplers- Unloaded- Supports (24) 13mm Duplex Couplers (Not Included)	1ea/Box
Demarc Wall Boxes for Panel Couplers - Built-In Fiber Coiler, Weatherproof Indoor/Outdoor Rated, Wall/Pole Mountable, UV ABS Plastic - White		
F-DWB-OUT6	6 Port FFTH Demarc Fiber Wall Box - Supports (6) 13mm Panel Mount Couplers (Not Included)	1ea/Box
F-DWB-OUT8	8 Port FFTH Demarc Fiber Wall Box - Supports (8) 13mm Panel Mount Couplers (Not Included)	1ea/Box
Demarc Wall Boxes for Panel Couplers - Indoor Only - Built-In Fiber Coiler, Metal - Black		
F-DWB-IN8	8 Port Unloaded Indoor Fiber Wall Box - Supports (8) 13mm Panel Mount Couplers (Not Included)	1ea/Box



HDMI® Cables & Adapters



SCP introduces our HDMI® tested and approved PREMIUM CERTIFIED CABLE SERIES. These are fully shielded HDMI cables that have been tested and approved by HDMI to the new Premium High Speed HDMI® Cable with Ethernet performance standard. Each cable bears the HDMI Anti-Counterfeiting Label for Premium Certified Cables. These are the recommended cables for Professional Home Theaters, Commercial Installations, and Consumers wanting the best HDMI cables for 4K Ultra HD displays and content.

Active Optical Cables (AOC)

Ultra Black Active Optical HDMI® Cable - 4K 24Gbps

Features		Compliance		Applications	
Hybrid Copper/Fiber Active Optical Cable. 4K@60 4:4:4 up to 24Gbps. No power required. SnugTite™ Grip (Display End Only), HDR, ARC, CEC, ALLM, VRR, HDCP 2.3, BT.2020, 32 Channel Audio. High ESD Protection. Thinner & More Flexible. Reinforced Connector Protection. LSZH EuroClass: Cca. HDMI Type A.		High Speed w/Ethernet - HDMI v2.0b, 4K@60 4:4:4 24Gbps, HDR, HDR10, ARC, HDCP 2.3, CEC, EDID; RoHS; IEC 60332-1-2, EN50575 Cca		Best for all home theater, commercial, schools, digital signage, & more.	
SCP Part Number	Length	Nom. OD	Jacket / Color	Installation Rating	Packaging
997AOC-LSZH-5M	5m/16.4ft	3.5mm	LSZH / Black	EuroClass: Cca	1ea/Bag
997AOC-LSZH-10M	10m/33ft	3.5mm	LSZH / Black	EuroClass: Cca	1ea/Bag
997AOC-LSZH-15M	15m/49ft	3.5mm	LSZH / Black	EuroClass: Cca	1ea/Bag
997AOC-LSZH-20M	20m/65ft	3.5mm	LSZH / Black	EuroClass: Cca	1ea/Bag
997AOC-LSZH-25M	25m/82ft	3.5mm	LSZH / Black	EuroClass: Cca	1ea/Bag
997AOC-LSZH-30M	30m/98ft	3.5mm	LSZH / Black	EuroClass: Cca	1ea/Bag
997AOC-LSZH-40M	40m/131ft	3.5mm	LSZH / Black	EuroClass: Cca	1ea/Bag
997AOC-LSZH-50M	50m/164ft	3.5mm	LSZH / Black	EuroClass: Cca	1ea/Bag

Active Optical w/Detachable Connector

Features		Compliance		Applications	
Hybrid Copper/Fiber AOC w/Detachable Connector (Display End). 4K@60 4:4:4 up to 24Gbps. No power required. SnugTite™ Grip (Both Ends), HDR, ARC, CEC, ALLM, VRR, HDCP 2.3, BT.2020, 32 Channel Audio. High ESD Protection. LSZH EuroClass: Cca.		High Speed w/Ethernet - HDMI v2.0b, 4K@60 4:4:4 24Gbps, HDR, HDR10, ARC, HDCP 2.3, CEC, EDID; RoHS; IEC 60332-1-2, EN50575 Cca		Recommended for conduit installations. The original Detachable HDMI Connector. Includes pulling capsule to protect during install. Lightweight & thinner diameter cable compared to copper. Home theater, commercial, schools, digital signage, & more.	
SCP Part Number	Length	Nom. OD	Jacket / Color	Installation Rating	Packaging
995AOC-10M-LSZH	10m/33ft	4.5mm	LSZH / Black	EuroClass: Cca	1ea/Box
995AOC-15M-LSZH	15m/49ft	4.5mm	LSZH / Black	EuroClass: Cca	1ea/Box
995AOC-20M-LSZH	20m/65ft	4.5mm	LSZH / Black	EuroClass: Cca	1ea/Box
995AOC-30M-LSZH	30m/98ft	4.5mm	LSZH / Black	EuroClass: Cca	1ea/Box

Replacement Connector for 995AOC:

995CON-D/A	Micro HDMI Type D to HDMI Type A	n/a	1ea/Bag
------------	----------------------------------	-----	---------

Outdoor/Armored Active Optical Cable

Features		Compliance		Applications	
4K@60 4:4:4 up to 24Gbps. AOC Hybrid Copper/Fiber. No power required. Armored with TPU Jacket. HDR, ARC, CEC, HDCP 2.3, BT.2020, 32 Channel Audio. High ESD Protection. HDMI Type A with IP68 waterproof connectors on each end.		High Speed w/Ethernet - HDMI v2.0b, 4K@60 4:4:4 24Gbps, HDR, HDR10, ARC, HDCP 2.3, CEC, EDID; RoHS		Outdoor, Broadcast, Rental, and mobile applications. Comes on plastic spool. You can easily put on stage reels. IP68 rated water/weatherproof connectors on each end.	
SCP Part Number	Length	Nom. OD	Jacket / Color	Installation Rating	Packaging
996AOC-50M	50m/164ft	5.8mm	Armored TPU / Black	Outdoor/ Sun Res UV	1ea/Plastic Spool
996AOC-100M	100m/328ft	5.8mm	Armored TPU / Black	Outdoor/ Sun Res UV	1ea/Plastic Spool

8K 48Gbps Ultra High Speed HDMI Cables

Features		Compliance		Applications	
48Gbps bandwidth. Passive Bi-Directional. Certified by HDMI ATC. Triple Shielded construction. Molded PVC housings. No Snug-Tite™ Grip. HDMI Type A.		Certified Ultra High Speed - HDMI v2.1 8K@60 4:4:4 48Gbps, 4K@120Hz; HDCP 2.3, eARC, VRR, Dynamic HDR, QMS, QFT. UL CL3 In-Wall Rated. All v2.1 Audio Formats: DTS:A, Dolby TrueHD, Dolby Atmos		Gaming, Conference Room Solutions, Home Theater, Digital Signage, LED signboards, Medical Imaging Equipment, Schools, Offices, Residential and all 4K/8K display device connectivity. Ideal for mobile connections.	
SCP Part Number	Length	Nom. OD	Jacket / Color	Installation Rating	Packaging
992UHS-0.5M	0.5m/1.6ft	5.0mm	PVC - Black	UL CL2/3 In-Wall	1 ea/Bag
992UHS-1M	1m/3.3ft	5.0mm	PVC - Black	UL CL2/3 In-Wall	1 ea/Bag
992UHS-2M	2m/6.6ft	5.0mm	PVC - Black	UL CL2/3 In-Wall	1 ea/Bag
992UHS-3M	3m/10ft	5.0mm	PVC - Black	UL CL2/3 In-Wall	1 ea/Bag
992UHS-5M	5m/16.4ft	5.0mm	PVC - Black	UL CL2/3 In-Wall	1 ea/Bag

Premium Certified 4K Ultra HD HDMI Cables

UltraV Premium Certified HDMI

Features			Compliance		Applications	
SCP Snug-Tite™ Grip securely holds cable into device socket. Premium Certified by HDMI ATC. Triple-Shielded cable and connector protects against EMI and RF. Passive B-Directional installation. High Gloss Purple Connector Housing for better heat dissipation. HDMI Type A.			Premium Certified Cable with Ethernet - HDMI v2.0b 4K@60 4:4:4 18Gbps; HDR, CEC, HDCP 2.3, eARC, BT.2020; RoHS. CL2/3 In-Wall Rated.		Highest quality Premium Certified Cable. Visually appealing. Ideal for Rack Connections. Best heat dissipation. Gaming, Conference Room Solutions, Home Theater, Digital Signage, LED signboards, Medical Imaging Equipment, Schools, Offices, Residential and all 4K display device connectivity.	
SCP Part Number	Length	Nom. OD	Jacket / Color		Installation Rating	Packaging
990UHDV-3	0.91m/3ft	7.3mm	PVC - Black		UL CL2/3 In-Wall	1ea/Resealable Bag
990UHDV-6	1.8m/6ft	7.3mm	PVC - Black		UL CL2/3 In-Wall	1ea/Resealable Bag
990UHDV-10	3m/10ft	7.3mm	PVC - Black		UL CL2/3 In-Wall	1ea/Resealable Bag
990UHDV-15	4.5m/15ft	7.3mm	PVC - Black		UL CL2/3 In-Wall	1ea/Resealable Bag
990UHDV-20	6m/20ft	7.3mm	PVC - Black		UL CL2/3 In-Wall	1ea/Resealable Bag

Ultra Slim Premium Certified HDMI

Features			Compliance		Applications	
The original Slim Style Premium Certified Cable. Thinner cable, smaller size connector housings. SCP Snug-Tite™ Grip. Premium Certified by HDMI ATC. Triple-Shielded cable and connector protects against EMI and RF. Passive B-Directional installation. HDMI Type A.			Premium Certified Cable with Ethernet - HDMI v2.0b 4K@60 4:4:4 18Gbps; HDR, CEC, HDCP 2.3, eARC, BT.2020 Colorimetry; RoHS. CL2/3 In-Wall Rated.		30% Smaller Connector and thinner/more flexible cable. Ideal for multi-port devices, rack connections, slim style displays, and more. Triple shielded provides excellent EMI protection.	
SCP Part Number	Length	Nom. OD	Jacket / Color		Installation Rating	Packaging
991UHD-0.5M	0.5m/1.6ft	4.5mm	PVC - Black		UL CL2/3 In-Wall	1ea/Resealable Blister
991UHD-1M	1m/3.3ft	4.5mm	PVC - Black		UL CL2/3 In-Wall	1ea/Resealable Blister
991UHD-2M	2m/6.5ft	4.5mm	PVC - Black		UL CL2/3 In-Wall	1ea/Resealable Blister
991UHD-2.5M	2.5m/8.2ft	4.5mm	PVC - Black		UL CL2/3 In-Wall	1ea/Resealable Blister

Custom Installation Premium Certified HDMI

Features			Compliance		Applications	
SCP Snug-Tite™ Grip securely holds cable into device socket. Premium Certified by HDMI ATC. Triple-Shielded cable and connector protects against EMI and RF. Passive B-Directional installation. Molded PVC housing. HDMI Type A.			Premium Certified Cable with Ethernet - HDMI v2.0b 4K@60 4:4:4 18Gbps; HDR, CEC, HDCP 2.3, eARC, BT.2020; RoHS. CL2/3 In-Wall Rated.		Gaming, Conference Room Solutions, Home Theater, Digital Signage, LED signboards, Medical Imaging Equipment, Schools, Offices, Residential and all 4K display device connectivity.	
SCP Part Number	Length	Nom. OD	Jacket / Color		Installation Rating	Packaging
990UHD-3	0.91m/3ft	7.3mm	PVC - Black		UL CL2/3 In-Wall	1ea/Bag
990UHD-6	1.8m/6ft	7.3mm	PVC - Black		UL CL2/3 In-Wall	1ea/Bag
990UHD-10	3m/10ft	7.3mm	PVC - Black		UL CL2/3 In-Wall	1ea/Bag
990UHD-15	4.5m/15ft	7.3mm	PVC - Black		UL CL2/3 In-Wall	1ea/Bag
990UHD-20	6m/20ft	7.3mm	PVC - Black		UL CL2/3 In-Wall	1ea/Bag

4K High Speed with Ethernet Cables

Ultra Slim HDMI

Features			Compliance		Applications	
Features: The original Ultra-Slim HDMI cable. 40% smaller connector housing. Thinner and more flexible cable. Unshielded. HDMI Type A. 940-15B is Active, Unidirectional cable.			High Speed with Ethernet. 4K@50/60 up to 18Gbps; ARC, CEC, EDID, HDR, HDCP 2.3; RoHS; CL2/3 In-Wall Rated.		Ideal for multi-port devices and connections to thin displays. High Speed with Ethernet. 4K@50/60 up to 18Gbps; ARC, CEC, EDID, HDR, HDCP 2.3; RoHS; CL2/3 In-Wall Rated. Ideal for standard connections.	
SCP Part Number	Length	Nom. OD	Jacket / Color		Installation Rating	Packaging
940-1.6B	0.5m/1.6ft	4.5mm	PVC - Black		Passive - CL2/3 In-Wall	1ea/Bag/10pc MP
940-3B	0.91m/3ft	4.5mm	PVC - Black		Passive - CL2/3 In-Wall	1ea/Bag/10pc MP
940-6B	1.8m/6ft	4.5mm	PVC - Black		Passive - CL2/3 In-Wall	1ea/Bag/10pc MP
940-8B	2.5m/8.2ft	4.5mm	PVC - Black		Passive - CL2/3 In-Wall	1ea/Bag/10pc MP
940-13B	4m/13ft	4.5mm	PVC - Black		Passive - CL2/3 In-Wall	1ea/Bag/10pc MP
940-15B	4.5m/15ft	4.5mm	PVC - Black		Active - CL2/3 In-Wall	1ea/Bag

Custom Installation Premium Certified HDMI

Features			Compliance		Applications	
SCP Custom Installation Series for standard connections. Reliable performance. Unshielded. Longer Length Active cables feature Snug-Tite™ Grip for securely holding cable into device sockets. Molded PVC housing. HDMI Type A.			High Speed with Ethernet. 4K@50/60 up to 18Gbps; ARC, CEC, EDID, HDR, HDCP 2.3; RoHS; CL2/3 In-Wall Rated.		Home TV's/Displays, Commercial, Schools, all around HDMI connectivity.	
SCP Part Number	Length	Nom. OD	Jacket / Color		Installation Rating	Packaging
944E-3	0.91m/3ft	6.5mm	PVC - Black		Passive - CL2/3 In-Wall	1ea/Bag/10pc MP
944E-6	1.8m/6ft	6.5mm	PVC - Black		Passive - CL2/3 In-Wall	1ea/Bag/10pc MP
944E-10	3m/10ft	6.5mm	PVC - Black		Passive - CL2/3 In-Wall	1ea/Bag/10pc MP
944E-15	4.6m/15ft	6.5mm	PVC - Black		Passive - CL2/3 In-Wall	1ea/Bag/10pc MP
944E-20	6m/20ft	6.5mm	PVC - Black		Passive - CL2/3 In-Wall	1ea/Bag
Active (Unidirectional) 4K HDMI with Snug-Tite™ Grip. CL2/3 In-Wall Rated:						
944E-25	7.6m/25ft	6.5mm	PVC - Black		Active - CL2/3 In-Wall	1ea/Bag
944E-30	9m/30ft	7.5mm	PVC - Black		Active - CL2/3 In-Wall	1ea/Bag
944E-35	10.7m/35ft	9.0mm	PVC - Black		Active - CL2/3 In-Wall	1ea/Bag
944E-50	15m/50ft	9.0mm	PVC - Black		Active - CL2/3 In-Wall	1ea/Bag

HDMI Adapters - SCP Brand

SCP Part Number	Description	Packaging
9AD-DP1.4	DisplayPort 1.4 to HDMI 2.0b Adapter Dongle - DP (m) to HDMI Type A (f) - 150mm/6in, Supports 4K@60Hz HDR	1ea/Bag
9AD-MDP1.4	DisplayPort 1.4 to HDMI 2.0b Adapter Dongle - DP (m) to HDMI Type A (f) - 150mm/6in, Supports 4K@60Hz HDR	1ea/Bag
9AD-USBTYPPEC	USB Type-C to HDMI 2.0b Adapter Dongle - USB-C (m) to HDMI Type A (f) - 150mm/6in, Supports 4K@60Hz	1ea/Bag
951	HDMI Port Saver Adapter - HDMI Type A (m) to HDMI Type A (f), Passive Adapter	1ea/Bag



Tools - Copper & Fiber



SCP has all the tools that you need for your custom installation project. Installation tools include: crimp tools, punch down tools, RJ45 termination tools, compression tools, cable strippers, and more.

Tools - Cooper

SCP Part Number	Description	Packaging
RJ45 Crimp Tools - Simply45®		
S45-C101	PROSeries Heavy Duty RJ45 Crimp Tool for all S45 brand UTP & STP RJ45 Modular Plugs	1ea Blister
S45-C100	Simply45 Pass Through RJ45 Crimper for all S45 brand UTP & STP RJ45 Modular Plugs - 1Ea/Blister	1ea Blister
S45-C200	Universal (most brands) Standard RJ45 Crimp Tool - UTP RJ45 Mod Plugs	1ea Blister
S45-C250	Universal (most brands) Standard RJ45 Crimp Tool- Shielded RJ45 Mod Plugs	1ea Blister
S45-C190	Replacement Blades for Simply45 RJ45 Crimp Tools - 1set of 2 blades	1set Clam or Bag
Punchdown Tools		
820	Termination & Cutting Tool for 90 Degree Keystone Jacks	1ea/Blister
Coax Crimp Tools		
817	Universal Compact Coax Compression Crimp Tool for BNC, F-TYPE, RCA	1ea/Box
Strippers & Cutters - Simply45®		
S45-S01BL	Adjustable Cat7a/6a/6/5e UTP/STP Cable Stripper - Blue	1ea Blister
S45-S01YL	Adjustable Cat7a/6a/6/5e UTP/STP Cable Stripper - Yellow	1ea Blister
S45-801	5" Premium Flush Cutter Tool up to 18AWG	1ea Blister

Tools - Fiber

SCP Part Number	Description	Packaging
EFT-TERMKIT	SCP-EasyFiber® Termination Kit - Mechanical cleaver, Kevlar Sheets, 3-Hole Stripper, Visual Fault Locator & more	1ea/Box
EFT-CLEAVER	SCP-EasyFiber® Mechanical Cleaver - For multimode and single mode, adjustable wheel	1ea/Box
EFT-3STRIP	SCP-EasyFiber® Three-hole jacket/coating stripper	1ea/Box
EFT-KSHEER	SCP-EasyFiber® Kevlar and Aramid Yarn Sheers	1ea/Box
EFT-PENCLEAN-LC	SCP-EasyFiber® Pen Cleaner -- 800 clean cycles for 1.25mm LC connectors	1ea/Box
EFT-PENCLEAN-SC	SCP-EasyFiber® Pen Cleaner -- 800 clean cycles for 2.5mm SC connectors	1ea/Box
EFT-VFL-1MW	SCP-EasyFiber® Visual Fault Locator -- 1mW output for 5km signal distribution	1ea/Box
EFT-VFL-LCADP	SCP-EasyFiber® Visual Fault Locator Adapter for LC connectors - 2.5mm to 1.25mm	1ea/Box



Installation Products



SCP Low Voltage Mounting Brackets are available for both new construction or retrofit installations. Low Voltage Mounting Brackets are the time and money-saving solution for faster and easier mounting of Class 2 communications, computer and cable TV wiring.

Low Voltage Mounting Brackets

SCP Part Number	Description	Packaging
MBLV-1	Existing Construction, 1-Gang Low Voltage Mounting Bracket - Black	100ea/Box
MBLV-2	Existing Construction, 2-Gang Low Voltage Mounting Bracket - Black	50ea/Box
MBLV-3	Existing Construction, 3-Gang Low Voltage Mounting Bracket - Black	50ea/Box



The Dongler®

HDMI Presentation & Conference Room Solutions



The Dongler®		
Features	Compliance	Applications
Award winning universal dongle and adapter ring holder that safely and securely holds all types of pigtail dongles and adapters. Can be securely attached to infrastructure cable, devices, or furniture. The pigtail dongles feature true 4K Ultra HD performance supporting the latest HDMI, DisplayPort, and USB standards.	Supports up to 32Gbps. HDMI® 4K@60 4:4:4, DisplayPort 1.4, USB™ Certified, VESA Certified, HDCP 2.3, HDR, ARC.	Ideal for presenters, trade shows, conference rooms, office, hotels, churches, gaming, the home, and more.
SCP Part Number	Description	Packaging
DO-L001	ProAV 4K Loaded Dongler: DP1.4, MDP1.4, USB Type C, HDMI Port Saver, Source Harness, Dongler Ring, Combination Lock	1ea/Box
DO-U001	Unloaded Dongler Kit: 3-Dongle Harnesses, 3-Adapter Harnesses, Source Harness, Dongler Ring	1ea/Box
DO-H001	The Dongler - Universal Dongle Harness 3 Pack	1ea/Bag
DO-H002	The Dongler - Universal Adapter Harness 3 Pack	1ea/Bag
DO-D001	The Dongler - Display Port1.4 to HDMI 2.0b Pigtail Adapter Dongle	1ea/Bag
DO-D002	The Dongler - Mini Display Port1.4 to HDMI 2.0b Pigtail Adapter Dongler	1ea/Bag
DO-D003	The Dongler - USB TYPE-C to HDMI 2.0b Pigtail Adapter Dongle	1ea/Bag
DO-D004	The Dongler - HDMI Port Saver Adapter Dongle - Type A to Type A	1ea/Bag
DO-D005	APPLE Lightning Digital AV Adapter. MFI Certified	1ea/Bag
DO-D006	APPLE USB-C Digital AV Adapter, MFI Certified	1ea/Bag




USB® & DisplayPort® Cables



USB & DisplayPort Cables						
Features	Compliance			Applications		
USB 3.2 Gen 2 SuperSpeed+, 20Gbps/10Gbps. Power Support: 5A/20V/100W, 3A/20V/60W. Bus Powered. USB-C to USB-C. Fast Charging. 4K Resolution. Double Shielded. Full EMI protection. TPE Jacket. Passive and Active cables.	USB 3.2 Gen 2 SuperSpeed+, 20Gbps/10Gbps. Power Support: 5A/20V/100W, 3A/20V/60W. Bus Powered. USB-C to USB-C. Fast Charging. 4K Resolution. Double Shielded. Full EMI protection. TPE Jacket. Passive and Active cables.			Data and 4K Video transfer. Fast Charging. Connect cameras, laptops, tablets, computers, mobile phones, monitors and more.		
SCP Part Number	Length	Description	Type	Jacket / Color	Packaging	
USBC32-1M	1m/3.3ft	20Gbps, Passive Copper, Power 5A/20V/100W, Video Alt Mode up to 8K@60Hz	USB-C Male/Male	TPE - Black	1ea/Bag	
USBC32-2M	2m/6.5ft	10Gbps, Active Copper, Power, 3A/20V/60W, Video Alt Mode 8K@60Hz	USB-C Male/Male	TPE - Black	1ea/Bag	
USBC32-3M	3m/10ft	10Gbps, Active Copper, Power 3A/20V/60W, Video Alt Mode 8K@60Hz	USB-C Male/Male	TPE - Black	1ea/Bag	
USBC32-5M	5m/16ft	10Gbps, Active Copper, Power 3A/20V/60W, Video Alt Mode 8K@60Hz	USB-C Male/Male	TPE - Black	1ea/Bag	

DisplayPort Cables						
Features	Compliance			Applications		
DisplayPort 1.4/1.2 standard. Supports up to 32.4Gbps. Supports 8K/4K devices. Easy Plug'n Play. HBR3 (High Bit Rate), DSC 1.2 (Display Stream Compression). Triple Shielded. Latched connectors provide secure connection.	DisplayPort 1.4/1.2, HBR3, 8K@60Hz, 32.4Gbps, Dynamic HDR. RoHS			Connect computer, laptop, graphics card to monitor, HDTV, or projector.		
SCP Part Number	Length	Description	Type	Jacket / Color	Packaging	
DP14-0.5M	0.5m/1.6ft	DP1.4 HBR3 8K@60Hz 32.4Gbps, Dynamic HDR, Passive Cable	DP Male/Male, Latched	PVC- Black	1ea/Bag	
DP14-1M	1m/3.3ft	DP1.4 HBR3 VESA Certified 8K@60Hz 32.4Gbps, Dynamic HDR, Passive Cable	DP Male/Male, Latched	PVC- Black	1ea/Bag	
DP14-1.8M	1.8m/6ft	DP1.4 HBR3 8K@60Hz 32.4Gbps, Dynamic HDR, Passive Cable	DP Male/Male, Latched	PVC- Black	1ea/Bag	
DP14-3M	3m/10ft	DP1.4 HBR3 VESA Certified 8K@60Hz 32.4Gbps, Dynamic HDR, Passive Cable	DP Male/Male, Latched	PVC- Black	1ea/Bag	
DP12-5M	5m/16ft	DP1.2 HBR2, VESA Certified, 4K2K@60Hz, 21.6Gbps, Passive Cable	DP Male/Male, Latched	PVC- Black	1ea/Bag	

The Dongler™ is not designed to be an invulnerable protection measure. The Dongler is designed to discourage casual theft or inadvertent removal of attached dongles and adapters. The Dongler™ and GoSimplyConnect™ are trademarks of SIMPLY45 LLC © All rights reserved. HDMI, the HDMI Logo, and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries. DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries "USB Type-C™" and "USB-C™" are trademarks of USB Implementers Forum and are only intended for use with products based on and compliant with the USB-Type-C™ cable and connector specification.



To Download PDF Version

CORPORATE OFFICE:

USA - Florida
 6365 NW 6th Way, Suite 330
 Ft. Lauderdale, FL 33309, USA
 Toll Free: 1-866-470-5742
 Direct Line: (954) 327-5770

DISTRIBUTION CENTERS:

USA - Florida
 Structured Cable Products c/o DSV
 11140 NW 122nd St. Suite 100
 Medley, FL 33178, USA
 Phone: (954) 327-5770

USA - Texas
 3665 La Reunion Parkway
 Dallas, TX 75212 USA
 Phone: (972) 685-2951
 Fax: (972) 685-2965

Europe - Netherlands
 Structured Cable Products, Inc.
 Marconiweg 3
 Tholen 4691 SV,
 Netherlands