

HDMI 2.1 Certified Cable

SPECIFICATIONS



SAV-992xM series cable

DESCRIPTION

- Rated Temperature (° C): 75
- Product Standard Certification: UL & c(UL)
- Flame Test: CL2 & FT4
- HDMI Ultra HIGH Speed Certified

KEY FEATURES

- Supports resolution up to 8K@60Hz 4:4:4 (4320p) 48 Gbps
- Max Bandwidth 48G
- High Frame Rate 120Hz
- UL CL3 In-Wall Rated
- HDMI Ethernet Channel and Enhanced Audio Return Channel
- Blue Ray, Full High Definition 3D
- 5.1 and 7.1 Surround Sound
- 2.2 HDCP Compliant
- Dynamic HDR
- CEC Support Functionality
- DTS-HD Master Audio Support
- Dolby Digital Plus Support
- Dolby True HD Support
- 32 audio channels for a multi-dimensional immersive audio experience
- Simultaneous delivery of dual video streams to multiple users on the same screen
- Support for the wide angle theatrical 21:9 video aspect ratio
- Support Variable Refresh Rate (VRR)
- Quick Media Switching (QMS)
- Quick Frame Transport (QFT)
- Auto Low Latency Mode (ALLM)


- ◆ HDCP 2.3

Application



Please put your cable image on the left

Specifications



No.	Type	Description
1	Cable	32# for 0.5m, 1m, 2m. 28# for 3m. 26# for 5m
2	Plug	Gold plated
3	Over mold	Black PVC
4	Plastic cap	Transparent

Packing

- Printed bag

